

A young boy in a green jacket and dark pants is sliding down a blue slide on a playground structure. He has a joyful expression with his tongue sticking out and his hands raised. The structure is made of blue perforated panels and silver metal poles. The background shows green trees and a clear blue sky.

play&park structures®

A PLAYCORE Company

PLAYGROUND & PARK **DESIGN GUIDE**



We are passionate about Play

When families visit a Play & Park Structures playground, they know they have arrived at a special place. The thrill of a child going down a slide for the first time, or gleefully soaring through the air on a swing inspires our passion for play and propels us to continually create ways to perpetuate this sense of wonder and discovery. Whether your project calls for a traditional playground or creatively themed play, the variety of styles and materials offered allows you to choose the perfect playground to complement your vision.

QUALITY, AFFORDABLE PLAYGROUNDS THAT MEET OUR CUSTOMERS' NEEDS

play&park structures®

A PLAYCORE Company

TABLE OF CONTENTS

16 Themed Play

Customized options to spark creative ideas for your project

24 SuperMax

5" Diameter Post Play Systems
Largest Capacity
Children 2-5 or 5-12 years

46 Boulderscapes

3-1/2" Diameter Post Systems
Deckless Design, Rocks, Ropes, and Nets
Children 5-12 years

58 Duramax

3-1/2" Diameter Post Play Systems
Maximize Your Play Space
Children 2-5 or 5-12 years

72 totmax

3-1/2" Diameter Post Play Systems
Early Childhood Play
Children 2-5 years

82 Horizons

3-1/2" Diameter Post Play Systems
Deckless Design
Children 5-12 years

92 Skyline

5" Diameter Post Play Systems
Deckless Design
Children 5-12 years

98 Components

A Variety of Play Components to Customize your Structure

119 Inclusive Play

Offering play for all abilities

134 ParkPlay

Freestanding Events to Refresh & Renew
Swings, Slides, Climbers, and more

162 Action Fit

Fitness-focused
Ground Level Equipment for Ages 13+

168 Park Site

Site Furnishings, Shade, Shelter,
and Surfacing to complement any Playground

176 Custom Options & Warranty

Surfacing, Color Options, & Warranties



A Roadmap for the Playground Planning Process

Getting Started

The Budget

Factors to Consider

- Overall size of the play space
- Number of children who will use the space
- Type of surfacing you will select
- Equipment and surfacing installation costs



The Children

Factors to Consider

- Identify primary users of the play space
- Plan for age appropriate equipment
- Incorporate a variety of play elements
- Implement inclusive principles in your design



The Site

Factors to Consider

- Topography - Level grade will save time and money
- Soil and drainage conditions
- Utilities - Identify the location of those seen and unseen
- Circulation - Maximize visibility with the appropriate use zone



Installation

Factors to Consider

\$\$\$ Professional Installation: Factory Certified Installers manage entire process

\$\$ Supervised Installation: Volunteers participate under supervision of Factory Certified Installers

\$ Customer Installation: Volunteers organize and fully participate in installation



Which Surfacing is Best?



		Site Preparation Requirements	Maintenance Requirements	Expected Longevity	*Meets Accessibility	Cost
Bonded Rubber		■	■	□	YES	\$\$ Initial \$\$\$ Lifetime
Engineered Wood Fiber (EWF)		□	■	□	YES	\$ Initial \$\$\$ Lifetime
Poured in Place (PIP)	EPDM	■	□	■	YES	\$\$\$ Initial \$ Lifetime
	TPV	■	□	■	YES	\$\$\$ Initial \$ Lifetime
Shredded Rubber		□	■	■	YES	\$\$ Initial \$\$\$ Lifetime
Tiles		■	■	■	YES	\$\$\$ Initial \$ Lifetime
Turf		■	■	■	YES	\$\$\$ Initial \$ Lifetime



Low

\$ Low Cost



Moderate


\$\$ Moderate Cost



High

\$\$\$ High Cost

*Manufacturers must submit their surfaces for testing. Some variation may occur. Please check with your manufacturer for product certification.









Example of Playground Funding Allocation

- Equipment
- Surfacing (EWF)
- Installation

The budget percentages listed are for illustrative purposes only and to visually address the main considerations when planning a playground project. Surfacing percentage is based using Engineered Wood Fiber.


Engaging Playgrounds for Every Venue



	Posts (Diameter)	Deck Size	Deck Height	Ages	Value
	5"	48"	Up to 8'	2-5 or 5-12	Largest capacity for busiest playgrounds
	3-1/2"	36"	Up to 8'	2-5 or 5-12	Maximum play for smaller footprint
	3-1/2"	36"	Up to 5'4"	2-5	Age appropriate for social & cognitive development
	3-1/2"	No Decks	Ground Level	5-12	Encourages physical activity with challenging climbing circuits
	5"	No Decks	Ground Level	5-12	Urban tough, physically challenging
	3 1/2"	No Decks	Ground Level	2-5 or 5-12	Fitness-focused play presenting continuous lateral pathways

Deck Height + Size

Looking for a recreation solution for a local park, school, or early childhood center? Choose from a variety of products that include traditional composite structures with two different deck sizes, or from deckless systems that encourage continuous lateral movement.



Age Range



SuperMax and DuraMax systems are designed for children 2-5 years or 5-12 years old, while totmax and early horizons are created for children ages 2-5 years. Boulderscapes, Horizons, and Skyline systems provide more physically challenging play that is appropriate for children 5-12 years.

Product Line Key

- SM SuperMax
- DM DuraMax
- TM totMax

Value

No matter what your recreation requirements might be - from large, inclusive, ramped units, to the smallest single deck structure - Play & Park Structures has a product line designed to meet your space requirements as well as your budget.

playandpark.com

Digital Assistance — Harnessing Online Tools

Beginning your playground purchase journey with the Play & Park Structures website has never been easier. Here you will find a variety of tools that address everything from planning, enrichment, products, promotions, and even stories shared by happy customers.



Start your project today



FUNDING



Access valuable information on grant opportunities, buying programs, and a variety of fundraising ideas.




PLANNING



From designing to installation, this resource section will help you understand what to expect when planning your upcoming playground project.



ENRICHMENT



Add both cognitive and physical activity to your playground project by accessing our exclusive programs.

REQUEST A QUOTE


Looking for a quote on a specific product? Click this link to connect to our sales team!

CATALOGS

Access the Play & Park Digital Catalog anytime by clicking the link on the top right corner of the home page.

ADDITIONAL VIEWS

Each product page features multiple views to display key components and play value.



FINANCE PAYMENTS

Estimated monthly payments are displayed here for each product. Click link to access online application.

DOWNLOAD FILES

Located at the base of each product page is the download section. Simply click the appropriate button to access files.

PRODUCT DETAILS

From age ranges, use zones, capacity and weight, all product details can be found in one location.



Product Details just a click away...

Utilizing the online Play & Park Structures digital catalog provides valuable information that will enrich the purchase experience. Several structures shown in this catalog include video imagery, multiple aerial views, and even audio of customer testimonials.

Funding Dreams Big and Small



Grant Opportunities

Visit our website to learn about specific funding available for your local community at playandpark.com/funding

Cooperative Buying Power

Simplify the purchasing process by leveraging cooperative programs. Discover which programs align with your locale at: playandpark.com/playground-buying-programs

Flexible Financing

Conserve capital dollars and stretch your budget with monthly payments on a new playground structure. Apply now at: playandpark.com/funding/playground-financing

Planning Guide

PlayCore's informative toolkit can engage communities in planning, building, and funding play and recreation projects. Download your copy today at: playandpark.com/blueprint-for-play




6

4

North Elementary, Goodland, KS

6 Elements of PLAY

Spotlight on Play On!®




Play On! evidence-based playground activities promote physical activity through six unique elements of play that really get kids moving. **Learn more on pages 88-89.**

Developed by PlayCore in partnership with SHAPE America



1 Swinging



2 Sliding



Community Activity

"We were able to use Play & Park Structure's Matching Funds Grant to purchase our new playground, which was desperately needed for our school. This great design offers our students a much higher level of physical activity, as evidenced by the National Demonstration Site designation that we were awarded. The entire community came out to help us build this amazing new play space."

Emmet Rudolf, Principal, North Elementary School, Goodland, Kansas



The 7 Principles

playAbilities™

Everyone Plays!

Breaking Ground - Breaking Barriers

"We will be breaking barriers, not just ground" stated Kim Chapman, co-anchor of News Channel 9 and co-founder of the Miracle League of Chattanooga. Many donors and supporters were on hand to speak about the importance of providing a multi-purpose field and inclusive playground designed so children with special needs can actively play with their friends and family. This recreation space will impact children of all abilities, families, and community for generations to come.

Me2sm Design Guidebook



The evidence-based principles explained in the Me2 Design Guidebook ensure that children have access to opportunities to be smart, included, safe, independent, active, comfortable, and experience fair and equitable play. Play & Park Structures is passionate about creating inclusive play environments where everyone can be part of the fun.

2 Play Together®



Celebrate inclusive communities by creating awareness, breaking down barriers, and fostering friendships. 2 Play Together playground activities take inclusive play to the next level by promoting character development. This guide gives teachers and programmers strategies to promote meaningful play, understanding, and fun between children with and without disabilities.

For a complete overview of the principles, guidelines, and benefits, reference the Me2 Design Guidebook. Ask your Play & Park Structures Consultant for a free copy.



PRINCIPLE 1
Be Fair



PRINCIPLE 2
Be Included



Miracle League Playground
Warner Park, Chattanooga, TN

of Inclusive Playground Design®



PRINCIPLE 3
Be Smart



PRINCIPLE 4
Be Independent



PRINCIPLE 5
Be Safe



PRINCIPLE 6
Be Active



PRINCIPLE 7
Be Comfortable





Building Community Improving Lives

PlayCore's National Demonstration Site Program Shines a Spotlight on Community Values

By thoughtfully designing your outdoor play environment with research-based best practices, your project can be designated as a National Demonstration Site and serve in a network of leadership case examples that address the local needs and goals of your community stakeholders. Your project will gain national awareness through various media outlets and receive recognition and signage for serving as a model example.

PLAYCORE.COM/NDS



**Signal Centers Playground
Chattanooga, TN**

Communities are recognized for providing naturalized playgrounds to bring nature to the everyday spaces of childhood.



**Destination Park
Chesapeake, VA**

Communities are recognized for moving beyond minimum accessibility to provide truly inclusive play spaces that promote physical and social inclusion.



**Cornerstone Christian School
San Antonio, TX**

Communities are recognized for promoting physical activity through well-designed outdoor play and learning environments.

The thoughtful design of this Play On! National Demonstration Site playground provides the Cornerstone Christian students with a wide variety of components to promote physical activity during their recess time.



**Zach Reyna Playground
Fort Meyers, FL**

Communities are recognized for aligning to health benefits and a total body workout.

One of the largest donors to this National Demonstration Site for Outdoor Adult Fitness states, "This park now offers a healthy, outdoor fitness opportunity for the local citizens to enjoy." Elizabeth Bumgarner, Alva, Florida



Tube to Open Slide

Half tube, half open, this creative slide provides non-stop thrills as children descend from the 10 foot tower.



Prism Climber

Unique, textured polyurea coating provides great traction, giving children extra confidence as they ascend.

Introducing The Origami Tower An Epic, Iconic, Climbing Adventure!

This soaring architectural tower creates multiple elevations of play supported by unique, ground level climbing fins, angular punched hole metal panels, topped off by graceful fabric roofs.

Be sure to check out the different theming options starting on page 16.



Scramble Up

Natural bridges are created by cable links providing challenging access from one deck to the next.

Halo Net

This unique, one-of-a-kind circular tunnel provides 8 feet of sturdy cables that provide unlimited traversing fun!



Solstice Climber

Strategically placed handholds with large and small circular insets that can receive sensory inserts, inspire inclusive play opportunities.



Fins

Creative ground level fins encourage climbing as well as allowing sensory opportunities.



Prism Panels and Bench Seat

Geometric, faceted panels create depth of color, and provide good supervision. Built in bench is great for socializing.



New Products Showcase

The Solstice Climbers

Featuring strategically placed hand and footholds as well as access from both sides, the Solstice is available as a climber, link, or as a freestanding play component.

TRI-SOLSTICE

With three unique ways to PLAY, the Solstice offers multiple levels of challenge, varied traverse patterns, and custom color options—making it the ideal addition to any playground design.



SOLSTICE CLIMBER

The Solstice Climber's small and large openings provide excellent gripping and foot traction. This rotomolded design is available with one color, or add a second color to match your playground palette. See page 103

The Next Generation of Pinnacles!



PINNACLE COASTER

An innovate design for ground level climbing, the Pinnacle Coaster features multiple paths for up to 3 children to traverse.



PINNACLE DOME

This 3 sided climber offers a compact way to add additional play to an existing environment.



PINNACLE CRUISER

Check out the coolest way to cruise with a ground level climber that can be accessed from either side.

VIEW ALL 3 NEW PINNACLE CLIMBERS ON PAGE 149

Themed Play Events



JAGUAR ON ROCK



BRIDGE WITH BEAM



CAMPFIRE



MUSHROOM FUN



SOFTSHELL TURTLE

These whimsical themed play elements, constructed from glass fiber reinforced polymer, will inspire imaginative adventures for children of all ages. Utilize the full catalog of designs available, or create your own. See page 156 for more options.

THEMED PLAY

Inspiring Imagination

Children have bountiful imaginations, and the play environment can be a great catalyst that inspires exciting adventures into the world of pretend.

The following pages feature several themed concepts designed to inspire and spark creativity. Your recreation consultant will assist you through the next steps in capturing and creating a vision uniquely tailored to your specific playground project.



Knights Castle

Key Components:

- Custom Castle panels
- Post Flags
- Cable Bridge
- Mock Moat design in surfacing

Contact your local Recreation Consultant to learn more about these structures.

**Raise the
Drawbridge,
Sire!**



Why we like this

Muted tones of gray and black give the Knights Castle an authentic feel, while the splash of red signifies that royalty inhabits this stately tower. The blue unitary surfacing provides a much needed protective moat to keep out unwanted intruders.



Train Playground

All aboard! This colorful freight train inspires activity from the front engine to the back caboose!



Reflections

Multi-color panels evoke panes of stained glass and create light prisms across the play space.

Contact your local Recreation Consultant to learn more about these structures.



Pocono Raceway

Race car panels, red and black color palette, and custom mascot signage honor this raceway's heritage.



Flower Mound

Integrate organic floral elements to introduce nature to the play space.

Contact your local Recreation Consultant to learn more about these structures.



Why we like this

The Space Voyager concept utilizes the Origami Tower as the launch pad for this space themed design. The patriotic color palette adds pop to the black and white spacecraft, while creatively placed surfacing mimics our space ship blasting off!



Space Voyager

Key Components:

- Ground level 'fins' mimic space ship supports
- Halo Net offers astronaut boarding
- Creative surfacing indicates successful launch!

Contact your local Recreation Consultant to learn more about these structures.

Blast Off!



Why we like this

Tree forts are natural magnets for children as they create their own adventures - and this Magic Treehouse holds the same promise, with organic colors that mimic a stately tree, and climbing opportunities throughout.



Magic Treehouse

Key Components:

- Gradient, earthy toned panels mimic tree trunk and leaves
- Inviting slat timber roof and creative climbers honor treehouse theme
- Green tile surfacing provides comfort underfoot

Contact your local Recreation Consultant to learn more about these structures.

**Don't forget
the secret
password!**



Meets the Demand For Variety

SuperMax offers the most variety and the largest decks so many children of all abilities can play together. Custom structures can be designed with challenging activities for all ages or a specific age group.

Appropriate for All Ages

Developmentally appropriate for ages 2-5 or 5-12, SuperMax structures meet the needs of schools, childcare facilities, parks, and communities.

Patented SuperMax Attachment System allows for easier installation and creates a streamlined look.

5" Diameter Post

Durable 5" diameter galvanized steel or aluminum upright posts withstand heavy commercial use.



Awty International Day School, Houston TX





48" Decks

Large 48" punched steel decks at heights up to 8' provide plenty of room for every child to play.

Elevate Play

Adding soft, rolling berms to the overall playground environment augments the play equipment, and increases physical activity.



The Tree Fort

If you could tap into a child’s vision of what a clubhouse would look like, you might see wooden planks forming simple walls or clusters of branches forming a makeshift roof. Our tree fort structures were influenced by this type of childhood spirit.



Timberland

20-112348

Activities: 25 events

Ages: 5-12

ASTM Use Zone: 62’2” x 42’11” | 1895 cm x 1309 cm

Capacity: 80-90 kids

Fall Height: 8’ | 244 cm



Pictured: Robertson Ranch HOA, Carlsbad, CA

Freestanding equipment sold separately.



Switchback Trail

20-113077

Ages: 5-12 years

Activities: 15 events

ASTM Use Zone: 42'2" x 45'1" | 1286 cm x 1375 cm

Capacity: 50-60 kids

Fall Height: 8' | 244 cm

Pictured: Ladd Park, Franklin, TN





Village Green

20-112346

Activities: 15 events

Ages: 5-12

ASTM Use Zone: 53'2" x 44'10" | 1620 cm x 1367 cm

Capacity: 60 - 70 kids

Fall height: 8'0" | 244 cm

Pictured: Mayfield Junior School, Pasadena, CA

Freestanding equipment sold separately.









Merrily We Play

20-112352

Activities: 43 events

Ages: 5-12

ASTM Use Zone: 92'9" x 60'8" | 2828 cm x 1850 cm

Capacity: 125 - 175 kids

Fall height: 8' | 244 cm

Pictured: Miracle League Playground, Chattanooga, TN

Freestanding equipment sold separately.





Unlimited Vista

20-112351

Activities: 24 events

Ages: 5-12

ASTM Use Zone: 78'7" x 47'7"

2395 cm x 1450 cm

Capacity: 85 - 115 kids

Fall height: 7'6" | 229 cm

Pictured: Valley View Elementary, Newhall, CA

Freestanding equipment sold separately.





"This school is a gift to our community as we support all of the children in the valley with special needs and severe disabilities. The playground now allows children in walkers and wheelchairs to interact in play for the first time. The components on the structure are not toys, but purposeful elements that serve important functions in our occupational therapy. This playground does a beautiful job of allowing children both with and without special needs to play side-by-side together."

— **Dr. Catherine Kawaguchi**
Superintendent of Sulfur Springs Union School District





Festivity

20-113200

Activities: 37

Ages: 5-12

ASTM Use Zone: 86'6" x 57'8"

2637 cm x 1758 cm

Capacity: 170-180 kids

Fall Height: 8'0"

Freestanding equipment sold separately.





Warning: Installation over a hard surface such as concrete, asphalt, or packed earth may result in serious injury from falls.



Crystal Cay

20-104159

Activities: 24 events

Ages: 5-12

ASTM Use Zone: 46'0" x 46'0" | 1402 cm x 1402 cm

Capacity: 60-70 kids

Fall height: 5'4" | 163 cm

Pictured: VUSD Charter School of Arts and Global Education, Ventura, CA





Grand Vista

20-112903

Activities: 15 events

Ages: 5-12

ASTM Use Zone: 40'7" x 42'6" | 1237 cm x 1295 cm

Capacity: 45 - 55 kids

Fall height: 8' | 244 cm

Pictured: The Awty School, Houston, TX





Warning: Installation over a hard surface such as concrete, asphalt, or packed earth may result in serious injury from falls.



Merry Maze

20-112350

Ages: 5-12 years

Activities: 10 events

ASTM Use Zone: 48'2" x 34'7" | 1469 cm x 1055 cm

Capacity: 40-50 kids

Fall Height: 8' | 244 cm

Pictured: Valley School, Van Nuys, CA





Warning: Installation over a hard surface such as concrete, asphalt, or packed earth may result in serious injury from falls.

Collaboration Station

71697

Ages: 2-5 or 5-12

Activities: 9

ASTM Use Zone: 32'7" x 30'3" | 994 cm x 923 cm

Capacity: 35-45 kids

Fall Height: 5'4" | 163 cm

Pictured: Mosaic Gardens, Pomona, CA





Climbing Cove

20-94436

Ages: 2-5

Activities: 7 Events

ASTM Use Zone: 32'2" x 26'6" | 981 cm x 808 cm

Capacity: 20-30 kids

Fall Height: 4' | 122 cm

Pictured: Freedom Park, Williamsburg, VA

Freestanding equipment sold separately.





Warning: Installation over a hard surface such as concrete, asphalt, or packed earth may result in serious injury from falls.

High Seas

20-112347

Ages: 2-5 or 5-12

Activities: 14 Events

ASTM Use Zone: 39'9" x 33'9" | 1212 cm x 1029 cm

Capacity: 65-75 kids

Fall Height: 5'4" | 163 cm

Pictured: Passage Park, Carlsbad, CA





Warning: Installation over a hard surface such as concrete, asphalt, or packed earth may result in serious injury from falls.

Canyon Breeze

20-104161

Ages: 2-5 and 5-12

Activities: 18 events

ASTM: 33'7" x 37'7" | 1032 cm x 1155 cm

Capacity: 50-60

Fall Height: 5'4" | 163 cm

Pictured: Canyon Country Park, Santa Clarita, CA



Freestanding equipment sold separately.

Quick Picks

Use these design ideas and price points as starters for your upcoming project! To view the details of the structures listed visit playandpark.com

Above \$35,000



Backwoods | 20-109418B

Ages: 5-12
Capacity: 25-35 kids
ASTM Use Zone:
39'6" x 30'9"



Escalator | 20-108170

Ages: 5-12
Capacity: 50-60 kids
ASTM Use Zone:
48'5" x 30'9"

\$25,000-\$35,000



Mason's Muse | 20-95452

Ages: 2-5
Capacity: 35-45 kids
ASTM Use Zone:
33'9" x 28'8"



Moondance | 20-101199

Ages: 5-12
Capacity: 20-30 kids
ASTM Use Zone:
36'11" x 22'11"



Trophy Circuit | 20-95383

Ages: 5-12
Capacity: 45-55 kids
ASTM Use Zone:
33'10" x 24'7"

Under \$25,000



Delta Queen | 71698

Ages: 2-5
Capacity: 35-45 kids
ASTM Use Zone:
35'2" x 26'7"



Enchanted Forest | 20-109421

Ages: 2-5
Capacity: 15-25 kids
ASTM Use Zone:
30'6" x 24'6"



Hermosa | 20-96491

Ages: 2-5
Capacity: 15-25 kids
ASTM Use Zone:
27'9" x 24'0"



PLAY SYSTEMS

Boulderscapes

Systems allow children ages 5-12 to BOLDLY go beyond a traditional playground experience by offering a variety of paths and problem solving opportunities. Multiple net angles, rock heights, and textured climbing surfaces inspire physical and cognitive challenges, propelling children to creatively plan their horizontal and vertical ascents and descents. Best of all, every child, regardless of their skill level, can get into the middle of the action!

Choose from a variety of links to connect Boulderscapes climbing systems to your traditional playground structure for even more variety on the playground.

Visually Appealing

Sweeping arches and sculptural aesthetics provide a functional play space that is attractive to communities.



Flexible Cable

inspires route planning and provides an advanced challenge.



Variety

Multiple angles, heights, and links promote a variety of problem solving opportunities.

Rotationally Molded Rocks

require less maintenance than comparable concrete boulders and are more affordable to ship and install.





Shoreline Park

10-112353

Ages: 5-12

Activities: 15 events

ASTM Use Zone: 49'10" x 30'10"

1519 cm x 940 cm

Capacity: 40-50 kids

Fall Height: 8' | 244 cm

Pictured: Shoreline Park, San Diego, CA







67009

Raptor

ASTM Use Zone: 28' 2" W x 34' 6" L | 859 cm x 1052 cm

Capacity: 20-25 kids

Fall Height: 8' | 244 cm

Events: 6

Cables offer challenging climbing opportunities for maximum fun!

Pictured: Warner Park, Chattanooga, TN



67004

Sparrow

ASTM Use Zone: 17' 4" W x 30' 10" L | 529 cm x 940 cm

Capacity: 10-15 kids

Fall Height: 8' | 244 cm

Events: 3


Open Sight Lines
provide excellent
supervision qualities.

Pictured: Edna Mae Park, Houston, TX

Warning: Installation over a hard surface such as concrete, asphalt, or packed earth may result in serious injury from falls.

Circular Design

promotes continued
play momentum – with
multiple paths.



67001

Eagle's Nest

ASTM Use Zone: 30' 10" W x 36' 7" L

940 cm x 1115 cm

Capacity: 40-45 kids

Fall Height: 8' | 244 cm

Events: 9



67010

Falcon

ASTM Use Zone: 30' 11" W x 41' 9" L

942 cm x 1273 cm

Capacity: 30-35 kids

Fall Height: 8' | 244 cm

Events: 10





A New Way to Play!

Connecting Boulderscapes with a traditional playground structure creates a whole new level of lateral, climbing fun for children ages 5-12 years.





Paragon

20-112349

Ages: 5-12

Activities: 12 events

ASTM Use Zone: 49'4" x 33'10"

1504 cm x 1032 cm

Capacity: 25-35 kids

Fall Height: 8' | 244 cm





Condor's Retreat

67000

ASTM Use Zone: 29' 0" W x 30' 9" L

886 cm x 937 cm

Capacity: 35-40 kids

Fall Height: 8' | 244 cm

Events: 10

Pictured: Canyon Country Park, Santa Clarita, CA



Refresh

Make an existing playground more exciting by adding a Boulderscapes structure to the play space.



Warning: Installation over a hard surface such as concrete, asphalt, or packed earth may result in serious injury from falls.

Ravenswood

30-104165

ASTM Use Zone: 38' 2" W x 49' 11" L

1163 cm x 1522 cm

Capacity: 25-30 kids

Fall Height: 8' | 244 cm

Events: 6

Pictured: Ivey Ranch Elementary School, Oceanside, CA



Freestanding equipment sold separately.



30-104168

Secret Egret

ASTM Use Zone: 30' 9" W x 43' 6" L

529 cm x 1326 cm

Capacity: 15-20 kids

Fall Height: 8' | 244 cm

Events: 3

The curved, elliptical design creates a modern, yet whimsical aesthetic.



67882

Phoenix Twist

ASTM Use Zone: 19'1" W x 31'10" L

582 cm x 971 cm

Capacity: 15-20 kids

Fall Height: 8' | 244 cm

Events: 4



Pictured: Bay Area Park, Houston, TX



67012

Peregrine

ASTM Use Zone: 30' 10" W x 29' 7" L

940 cm x 902 cm

Capacity: 25-30 kids

Fall Height: 8' | 244 cm

Events: 8

Frames are designed
as hand grips to aid in
transition.



67006

Heron

ASTM Use Zone: 18' 3" W x 30' 9" L

556 cm x 529 cm

Capacity: 15-20 kids

Fall Height: 8' | 244 cm

Events: 5



Maximize play value for more compact spaces

DuraMax offers the same great play value as SuperMax in a smaller footprint. The affordable option when space and budget considerations are most important, DuraMax structures can meet play value requirements without breaking the budget.

Same Great Selections

DuraMax designs pack in all the play component options that make up an exciting play environment coupled with the durability and function synonymous with a Play & Park Structures playground.



Age Appropriate

Developmentally appropriate for ages 2-5 or 5-12, DuraMax structures meet the needs of schools, childcare facilities, parks, and communities.

Easy Installation

Duramax systems offer the best of both worlds—direct bolt on decks for quicker installation and clamps at the top for flexibility. Uprights are factory drilled with factory installed threaded inserts.



Pictured: Hancock Elementary School, Houston, TX





Adding freestanding shade lowers the overall temperature of the play space.

Longtime Laughs

10-95421

- Ages: 5-12
- Activities: 23 Events
- ASTM Use Zone: 58'1" x 45'9"
- 1784 cm x 1405 cm
- Capacity: 55-65 kids
- Fall Height: 8'0" | 244 cm



Pictured: Edna Mae Park, Houston, TX
Freestanding shade sold separately.





Meadowlands

10-111397

Ages: 5-12

Activities: 17

ASTM: 52'0" x 47'9" | 1585 cm x 1456 cm

Capacity: 40-45 kids

Fall Height: 8'0" | 244 cm





Warning: Installation over a hard surface such as concrete, asphalt, or packed earth may result in serious injury from falls.

Elation Station

10-94432

Ages: 2-5

Activities: 11

ASTM: 28'5" x 30'5" | 866 cm x 927 cm

Capacity: 30-40 kids

Fall Height: 6'4" | 195 cm

Pictured: Zach Reyna Park, Ft Myers, FL





New Traffic Patterns!

The YMCA in downtown Chattanooga needed a new playground for their early childhood center, and wanted a unitary surfacing that integrated a trike path to help their youngest users learn the important rules of the road. This beautiful playground has also been instrumental in helping them recruit new children to their center.



Trike Town

10-104213

Ages: 2-5 years

Activities: 13 events

ASTM Use Zone: 31'10" x 30'3" | 978 cm x 929 cm

Capacity: 20-30 kids

Fall Height: 5'4" | 163 cm

Pictured: Downtown YMCA, Chattanooga, TN





Warning: Installation over a hard surface such as concrete, asphalt, or packed earth may result in serious injury from falls.

Sunsetter

10-104191

Ages: 2-5 years

Activities: 9 events

ASTM Use Zone: 42'0" x 42'0" | 1290 cm x 1290 cm

Capacity: 20-30 kids

Fall Height: 4'8" | 143 cm

Pictured: Sunset Townhomes HOA, Chino Hills, CA





10-95140

Down to Earth

10-112905

Ages: 5-12

ASTM Use Zone: 35'3" x 34'9" | 900 cm x 1042 cm

Activities: 8

Capacity: 25-35

Fall Height: 7'6"

Pictured: Moore Elementary, Pasadena, TX



10-101138

Vision Quest

Ages: 5-12

Activities: 22

ASTM Use Zone: 42'2" x 39'5" | 1286 cm x 1202 cm

Capacity: 25-35 kids

Fall Height: 8'



Slide Central

With unique slides located at all four corners of this structure, the Lucky Monkey offers perfect looping patterns for continuous physical play.



Warning: Installation over a hard surface such as concrete, asphalt, or packed earth may result in serious injury from falls.

Lucky Monkey

10-112942

Age: 2-5 or 5-12 years

Activities: 13 Events

ASTM: 32'7" x 30'5" | 993 cm x 927 cm

Capacity: 40-50 kids

Fall Height: 6' | 183 cm

Pictured: Frazier Elementary, Pasadena, TX





Endurance Run

65118

Ages: 5-12 years

Activities: 14 events


ASTM Use Zone: 47'10" x 25'2" | 1458 cm x 768 cm

Capacity: 40-50 kids

Fall Height: 8'0" | 244 cm

Pictured: Cary Woods Elementary School, Auburn, Alabama





Promote physical activity with deckless play equipment that encourages continuous lateral movement.

Warning: Installation over a hard surface such as concrete, asphalt, or packed earth may result in serious injury from falls.

Mirror Maze

20-112943

- Age: 5-12
- Activities: 14 Events
- ASTM: 90'1" x 28'9" | 2746 cm x 876 cm
- Capacity: 30-40 kids
- Fall Height: 8' | 244 cm



Pictured: Jessup Elementary School, Houston, TX



Warning: Installation over a hard surface such as concrete, asphalt, or packed earth may result in serious injury from falls.

Rising Peak

69204

Ages: 2-5 or 5-12 years

Activities: 14 events

ASTM Use Zone: 39' 7" x 31' 7" | 1207 cm x 963 cm

Capacity: 40-50 kids

Fall Height: 6' | 183 cm

Pictured: Memorial Childcare Center, Chattanooga, TN



Quick Picks

Use these design ideas and price points as starters for your upcoming project! To view the details of the structures listed visit playandpark.com

Above \$40,000



Futurama | 10-109413A

Ages: 5-12
Capacity: 35-45 kids
ASTM Use Zone:
39'7" x 32'4"



Cable Crossing | 10-109416

Ages: 5-12
Capacity: 25-35 kids
ASTM Use Zone:
38'9" x 31'7"

\$25,000-\$40,000



Shenanigans | 10-109412

Ages: 5-12
Capacity: 30-40 kids
ASTM Use Zone:
38'1" x 31'0"



Rising Ridge | 10-109417

Ages: 5-12
Capacity: 25-35 kids
ASTM Use Zone:
41'10" x 32'8"



Rhyme Thyme | 10-109809A

Ages: 5-12
Capacity: 25-35 kids
ASTM Use Zone:
33'2" x 28'10"

Under \$25,000



Stepping Up | 10-109706

Ages: 2-5
Capacity: 15-25 kids
ASTM Use Zone:
32'1" x 29'0"



Merry Maker | 10-109810

Ages: 2-5
Capacity: 15-25 kids
ASTM Use Zone:
23'7" x 28'10"



Star Catcher | 10-109705

Ages: 5-12
Capacity: 20-30 kids
ASTM Use Zone:
34'3" x 29'2"



PLAY SYSTEMS

Appropriate for a Younger Audience

Designed for early childhood, totmax play systems provide an environment that promotes imagination and creative play while encouraging social and cognitive development. Each design considers the size and shape of preschoolers.


For children ages 2-5 years

A totmax playground is a lasting investment that will instill parental confidence in any facility. Durable, inspiring, and developmentally appropriate. Freestanding components promote imagination and creativity.



20 Reproducible Learning Cards

Educators use the Outdoor Creative Play & Learning System Preschool Activity Folder to nurture the imaginations of children and to offer meaningful experiences and healthy child development. Ask your sales consultant to request these learning cards when making your playground purchase.





Selection

Dual slides and multiple climber variations create unique spaces to fit your specific needs.

Durability

Built using durable 36" coated punched decks at heights up to 5' 4". Sturdy 3-1/2" diameter galvanized steel or aluminum withstands heavy commercial use and is also ideal in a private setting.





Tot Lot

10-94434

Ages: 2-5

Activities 5

ASTM 21'2" x 24'1" | 645 cm x 765 cm

Capacity: 10-20 kids

Fall Height: 2'8" | 81 cm

Pictured: Centennial HOA, Chino, CA





Warning: Installation over a hard surface such as concrete, asphalt, or packed earth may result in serious injury from falls.

Funshine

10-94431

Age 2-5

Activities: 9

ASTM: 26'6" x 22'1" | 808 cm x 673 cm

Capacity: 20-30 kids

Fall Height 4' | 122 cm

Pictured: Ladd Park, Franklin, TN





Warning: Installation over a hard surface such as concrete, asphalt, or packed earth may result in serious injury from falls.

Crossover

10-104190

Ages: 2-5 years

Activities: 12 events

ASTM Use Zone: 21'2" x 42'6" | 650 cm x 1306 cm

Capacity: 30-40 kids

Fall Height: 2'8" | 82 cm

Pictured: Northminster Preschool, San Diego, CA





Kiddie Crawl

62470

Ages: 2-5 years

Activities: 9 events

ASTM Use Zone: 35' x 30' 4" | 1067 cm x 925 cm

Capacity: 20-30 kids

Fall Height: 4' | 122 cm

Pictured: First United Methodist Church, Hueytown, AL





Giggle Maker

69015

Ages: 2-5 years

Activities: 7 events

ASTM Use Zone: 34' 5" x 25' 7" | 1050 cm x 780 cm

Capacity: 20-30 kids

Fall Height: 2' 8" | 82 cm

Pictured: Vidor Elementary School, Houston, TX





Rory's Race

69370

Ages: 2-5 years

Activities: 12 events

ASTM Use Zone: 33' 5" x 35' 4" | 1077 cm x 780 cm

Capacity: 35-45 kids

Fall Height: 4' 0" | 122 cm

Pictured: Point of Grace Church, Waukee, IA





Two's Company

69284

Ages: 2-5 years

Activities: 7 events

ASTM Use Zone: 24' 2" x 30' 1" | 737 cm x 917 cm

Capacity: 15-20 kids

Fall Height: 4' | 122 cm

Pictured: Grand Palm, Sarasota, FL



Quick Picks

Use these design ideas and price points as starters for your upcoming project! To view the details of the structures listed visit playandpark.com

\$16,000 - \$20,000



All Smiles | 10-95102

Ages: 2-5
Capacity: 20-30 kids
ASTM Use Zone: 36'0" x 26'0"



Tubular | 69360

Ages: 2-5
Capacity: 20-30 kids
ASTM Use Zone: 33'6" x 23'9"

Under \$15,000



Starlight | 69358

Ages: 2-5
Capacity: 10-20 kids
ASTM Use Zone: 25'2" x 23'8"



Tot City | 10-95401

Ages: 2-5
Capacity: 20-30 kids
ASTM Use Zone: 30'3" x 116'11"



Activity City | 69359

Ages: 2-5
Capacity: 10-20 kids
ASTM Use Zone: 24'1" x 21'2"



Fire Truck Cab | 66525

Elevation: 67" | 170 cm
Width: 43" | 110 cm
Length: 77" | 200 cm
ASTM Use Zone:
18' 6" x 16' 11" | 560 cm x 520 cm
Capacity: 6 kids



Ships Bow | 67696

Width: 12' 7" | 380 cm
Length: 21' 7" | 660 cm
ASTM Use Zone:
21' 7" x 12' 7" | 660 cm x 380 cm
Capacity: 8-10 kids

Freestanding Play Events



Flight Jet | 66517

Width: 84" | 213 cm
Length: 84" | 213 cm
ASTM Use Zone:
19' x 19' | 580 cm x 580 cm
Capacity: 3 kids

Horizons

PLAY SYSTEMS

Be Active

Horizons play systems offer a fun way for children to get outside and be more active than ever before. The unique deckless systems offer continuous play with no predetermined path and are fitness-focused with multiple overhead, balancing, core and climbing events.

Design Flexibility

Horizons can be used alone or you can add Horizons to any Play & Park Structures post and deck system to create a truly unique play experience, combining both traditional and non-traditional play.





Horizons Hybrid systems create a sense of accomplishment and success as children challenge themselves to make it from one side to another without touching the ground.

Patriot

10-112902

Ages: 5-12 years

Activities: 16 events

ASTM Use Zone: 69'3" x 49'8"

2111cm x 1514cm

Capacity: 105-115 kids

Fall Height: 8'0" | 244cm

Pictured: Jessup Elementary School, Houston, TX





EARLY HORIZONS

Designed specifically for the little hands and feet of children ages 2-5.



Early Horizons

The unique design encourages imagination and promotes confidence while enabling children to make decisions in the way they play while building key developmental skills.

Beginner's Fun


68324

ASTM Use Zone: 33' 6" x 33' 9" | 402 cm x 405 cm

Ages: 2-5 years

Capacity: 15-20 kids

Fall Height: 4' 4" | 133 cm



68483

Maximus


Ages: 2-5 years

ASTM Use Zone: 26' 7" x 39' 1"

810 cm x 1191 cm

Capacity: 10-15 kids

Fall Height: 4' 4" | 132 cm



40-95531

Soaring Destinations

Ages: 2-5 years

ASTM Use Zone: 34' 6" x 35' 2"

1052 cm x 1073 cm

Capacity: 15-20 kids

Fall Height: 4' | 122 cm





Sunrise

40-94450

ASTM Use Zone: 29'7" x 36'5" | 902 cm x 1110 cm


Ages: 2-5 years

Capacity: 10-20 kids

Fall Height: 4' | 122 cm

Pictured: Cottage Green, Woodlands, TX

Freestanding equipment sold separately.





Early Horizons
Early Horizons systems are great for getting children moving at an early age.



Warning: Installation over a hard surface such as concrete, asphalt, or packed earth may result in serious injury from falls.

Harlem Heights

40-94448


ASTM Use Zone: 29'2" x 40'8" | 889 cm x 1240 cm

Ages: 2-5 years

Capacity: 20-30 kids

Fall Height: 4' | 122 cm

Pictured: Harlem Heights Community Park, Fort Myers, FL





Zach Reyna Memorial Playground

40-94449

Ages: 5-12 years

ASTM Use Zone: 55'1" x 66'11"

1679 cm x 2040 cm

Capacity: 25-35 kids

Fall Height: 8' | 244 cm

Pictured: Zach Reyna Memorial Park, Ft Myers, FL



Awarded PlayOn! National Demonstration site status

by PlayCore, the Zach Reyna Playground features the 6 key elements of play to promote fitness and physical activity on the playground. Learn more about National Demonstration Sites on pages 10-11.

Ramiro Rodriguez, Hendry Labelle Recreation Director holds the Play On! Activity Guide



Featuring 100 playground activities aligned with National Standards for K-12 Physical Education and Active Start guidelines for preschool-age children.

National Demonstration Site

This playground was awarded National Demonstration Site status from PlayCore for including the 6 key elements of Play. Learn more on pages 10-11.



Sunbeam

40-112354

Ages: 5-12

ASTM Use Zone: 64'10" x 53'6" | 1976 cm x 1631 cm

Capacity: 40-50 kids

Fall Height: 8'0"

Pictured: North Elementary, Goodland, KS





Warning: Installation over a hard surface such as concrete, asphalt, or packed earth may result in serious injury from falls.

SKYLINE™

PLAY SYSTEMS

High-Intensity Endless Play!

The modern aesthetic keeps communities up to date with the most cutting edge play. Architectural lines and unique accents attract families to the play space.

5-12 Years

High intensity play elements allow children aged 5 – 12 years to experience different play patterns each time.

Sleek

The absence of traditional decks provides unrestricted play access, encouraging ease of movement and excellent supervision qualities.





Modern Play

High-intensity structures provide a modern play configuration and composition, challenging children to get outside and be more active than ever before.

Prestige

68478

Ages: 5-12 years

Activities: 7 events

ASTM Use Zone: 29' 11" x 25' 7" | 914 cm x 792 cm

Capacity: 15-20 kids

Fall Height: 8' | 244 cm

Pictured: Prestige, Fort Payne, AL





Traverse

68471

Ages: 5-12 years

Activities: 8 events

ASTM Use Zone: 24' 8" x 40'

752 cm x 1219 cm

Capacity: 30-40 kids

Fall Height: 8' | 244 cm



Pictured: Eden Park Academy, Austin, TX



Spinning

Children can control the twirling revolution of this spinner on their own or be joined by a friend.



Entry Points

Children can approach Skyline from multiple entry points and continually renew their engagement as they laterally traverse from one end of the structure to the other.

Climbing

Constant climbing opportunities keep children active longer and increases muscle development.



Variety

Skyline systems feature over 20 different ground-based activities, offering increased challenge and difficulty levels that are controlled by the child.



Power House

68481

Ages: 5-12 years

Activities: 8 events

ASTM Use Zone: 27' 10" x 35' 7"

849 cm x 1085 cm

Capacity: 25a-30 kids

Fall Height: 8' | 244 cm



Pictured: Bel Air Crest HOA, Los Angeles, CA

Components Directory

- 100 Slides**
Sectional, Rotomolded,
Stainless Steel & Tunnel Slides
- 103 Tunnels & Tunnel Slides**
Rotomolded 30" & 24" Tunnels
- 104 Climbers**
Vertical, Angled, Metal, GFRC,
Plastic & Cable Climbers
- 108 Ramps & Bridges & Links**
Bridges and ADA Accessible Ramps
Metal & Rotomolded Deck to Deck Links
- 112 Upper Body**
Ladders, Loops, Rings Activities
- 114 Ground Level**
Challenging Ground Level Activities
- 115 a-maze & Music Panels**
Curriculum supported outdoor play
- 116 Interactive Panels**
Manipulation and Socialization Activities
- 119 Inclusive Play**
Universally Designed Activities
- 125 Barrier Panels**
Decorative and Interactive Panels
- 126 Nature Themed Activities**
Themed and Earth Awareness Activities
- 128 Fabric Shades & Roofs**
Fabric Shade, Rotomolded,
Metal & Recycled Roofs
- 130 Custom Signs**
One-of-a-kind Custom Designed Signs
- 132 Curriculum Supported Play**
Bring Learning Outdoors





Make it your own!

Utilize this section of the catalog to review and compare the play components and choose your favorites for a one-of-a-kind structure!





SM DM TM

Single Velocity Slide

Deck Height: 4', 5'4", 8'

Single Velocity Wave Slide

Deck Height: 2', 2'8", and 6'



SM DM TM

Double Velocity Slide

Deck Height: 2'8", 4' & 5'4"

Double Velocity Wave Slide

Deck Height: 6' & 7'4"



SM DM TM

Double Curved Velocity Slide

Deck Height: 4'8" Right Curve only



SM DM TM

Curved Velocity Slide

Deck Height: 4' Available in left or right curve
2'8" and 4'8" Available in Right Curve only



SM DM TM

Hurricane Slide

Deck Height: 4', 4'8", 5'4" & 6'

Also available with metal enclosure.



SM

Roller Slide

Deck height: 5'



SM

Double Stainless Steel Slide

Deck Height: 4', 5'4", 6', 7'4" & 8'



SM DM TM

Single Stainless Steel Slide

Deck Height: 4', 5'4", 6', 7'4" & 8'



SM DM TM

Triple Slide

Deck Height: 4'8"

The Triple Slide accommodates up to three children and features a durable, low maintenance rotationally-molded bedway.



Underside of Triple Slide

Molded in "Find-it" game is hidden under the slide bedway for additional play activity!

Cascade Slides
Available in single, double and triple models in a variety of configurations.



SM DM

Single Cascade Slide
Deck Height: 3' 4" through 8'



SM DM

Single Spiral Cascade Slide
Deck Height: 8'



SM DM

Dueling Criss-Cross Cascade
Deck Height: 8'



SM DM

Dueling Spiral Cascade
Deck Height: 8'



SM DM

Triple Cascade Slide
This is a first of its kind triple sectional slide with a spiral slide included. Spiral section only available at 8' height.



SM

30" Straight Tunnel Slide
Deck Height: 2' & 3' 4" to 8'
Skyview Available in Clear & Tinted
Deck Height: 3' 4" to 8'



SM

30" S-Tunnel Slide
Deck Height: 4' 8", 5' 4", 6' 8"
Skyview Available in Clear & Tinted
Deck Height: 5' 4", 6' 8"



DM

24" S-Tunnel Slide
Deck Height: 4' to 6' & 8'
24" Straight Tunnel Slide(not shown)
Deck Height: 2', 3' 4" to 6' & 8'



SM


30" Tunnel Twist Slide
Deck Height: 8'



SM
Tube to Open Slide Straight
Deck Height: 6' or 8'



SM
Tube to Open 'L' Slide
Deck Height: 6' or 8'



SM
Tube to Open 'S' Slide
Deck Height: 6' or 8'



SM DM

Solstice Hourglass Climber
Deck Height is 32", 40", 48" or 56"
Shown at 56" Deck Height



SM DM

Solstice Climber
Deck Height is 32", 40", 48" or 56"



DM TM

S-Crawl Tunnel
Above Decks: 8" to 6'
Below Decks: 4' and higher



SM

L' Crawl Tunnel
Above Decks: 8" to 6'
Below Decks: 4' and higher | Clear & Tinted
Skyview available for Deck Height: 8" to 6'



2' Crawl



4' Crawl
30" available w/Skyview



8' Crawl
30" available w/
Skyview



12' Crawl
30" available w/
Skyview



SM

30" Caterpillar 24" Offset Crawl Tunnel
Deck Height: 2'8" to 6'



SM

Camel Crawl Tunnel
Deck Height: 8" to 6'

SM

30" Straight Crawl Tunnel
Available Lengths: 12', 8', 4', and 2'
Above Decks: 8" to 6'
Below Decks: 4' and higher

SM

SuperMax Skyview
Available in Clear & Tinted for 8' and 4'
Above Decks: 8" to 6'

DM TM

24" Straight Crawl Tunnel
Available Lengths: 6', 4', 3', and 2'
Above Decks: 8" to 6'
Below Decks: 4' and higher

DM TM

24" Offset Crawl Tunnel
Deck Height: 2'8" to 6'

To see full offering of Crawl Tunnels visit playandpark.com

Apex and MaxClimb Climbing



SM DM TM

Apex Climbing Attachment
Deck Height: 2'8" to 5'4"



SM DM TM

Apex Single Lateral Attachment
Deck Height: 2' & 2'8"



SM DM

Apex Double Lateral Attachment
Deck Height: 4'8" & 5'4"



SM DM TM

Apex Climbing Link
Upper Deck Height: 3'4" to 5'4"
Lower deck is 32" below



SM DM

Apex Lateral Link
Deck Height: 2' & 2'8"



SM DM

Apex Double Lateral Link
Deck Height: 4'8" & 5'4"



SM DM TM

MaxClimb Summit
Deck Height: 8" to 2'8"



SM DM

MaxClimb Finatic
Deck Height: 3'4" to 6'



SM DM

MaxClimb Quest Link
Deck Height: 3'4" to 6'



SM DM

MaxClimb Ascend
Deck Height: 3'4" to 6'



SM DM

MaxClimb Quest Attachment
Deck Height: 3'4" to 6'



SM DM

MaxTwist2 Ascend
Deck Height: 3'4" to 6'

Pinnacle Climber



SM DM TM

Single Attachment, Single Entrance
Deck Heights: 2' to 4'8"



SM DM TM

Single Attachment, Double Entrance
Deck Heights: 2' to 4'8"



SM DM

Double Attachment, Single Entrance
Deck Heights: 5'4" to 8'



SM DM

Double Attachment, Double Entrance
Deck Heights: 5'4" to 7'4"



SM DM

Single Link
Deck Heights: 2' to 6'



SM DM TM

Double Link
Deck Heights: 2' to 6' or 8" depending on deck differential
24" to 72" deck differential available

Consult your Play & Park Structures representative for component age appropriateness.



SM

Rope Ladder
Deck Height: 2'8" to 8'



SM

Beanstalk Climber
Deck Height: 2'8" to 8'



SM DM TM

Spiral Step Climber
Deck Height: 2'8" to 6'



SM DM TM

Zip Step Climber
Deck Height: 2'8" to 8'



SM

The Clubhouse Climber
Deck Height: 8'



SM DM

Rock Climbing Wall
Deck Height: 4' and 8'



SM DM TM

Inclined Wall Climber
Deck Height: 2' to 6'



SM DM TM

Cliff Climber
Deck Height: 4' to 8'



SM DM

Climbing Wall
Ground Level Activity

Chain, Cable and Metal Climbing

SM SuperMax DM DuraMax TM totmax



SM DM TM

Mountain Climber
with Chain or Guardrails
Deck Height: 2'8" & 4'



SM DM

Chain Climber
Deck Height: 2'8" to 4', 5'4", 6'
Arch Chain Climber
Deck Height: 3'4" & 4'



SM DM

Radius Chain Net
Ground Level Activity



SM DM

Vertical Chain Climber
Ground Level



SM

Tri-Cable Climber
Deck Height: 4' & 4'8"



SM DM

Cable Climb-A-Cross
Max deck height for DM: 4'8"



DM

Cliffhanger
Deck Height: 4'



SM

Scramble Down
Deck Height: 56"




SM DM

Button Climb
1'4" - 2' (1 Button), 2' (1 Button),
2'8" (2 Buttons), 3'4" (3 Buttons)



SM DM

Wiggle Wave Climber
Deck Height: 4', 5'4" to 8'



SM DM

Loop Pole Climber
Deck Height: 2'8" to 8' (excludes 6'8")



SM DM

Fireman's Pole
Deck Height: 2'8" to 6'



SM DM

Coil Climber
Deck Height: 2'8" to 8' (excludes 6'8")



SM DM

Vertical Ring Climber
Deck Height: 2'8" to 6'



SM DM

NatureROCKS Large Sandstone Climber (GFRC)
Deck Height: 5'4"



SM DM

NatureROCKS Medium Granite Climber (GFRC)
Deck Height: 6'8"



SM DM

Arch Climber
Deck Height: 2'8" to 4'



SM DM

Vertical Access Ladder
Deck Height: 2' to 6'



SM DM

Side Climber
Deck Height: 2'8" to 6'



SM DM

Climbing Arc
Deck Height: 4', 5'4" to 8'



SM DM

Banister Climber
SuperMax Deck Height: 3' 4", 4', 5'4" & 6'
DuraMax Deck Height: 3' 4" & 4'



SM DM

Loop Arch Climber
Deck Height: 2'8" to 8' (excludes 6'8")



SM DM

'S' Pipe Climber
Deck Height: 4' to 6'



SM DM

Mount Everest
Ground Level Activity - Shown in Single Attachment Configuration. Also available with a Coil Climber, Sliding Pole, and Double Link



SM DM

Sweeping Rays
Deck Height: 4' to 6'



SM DM


Stratascend Climber
Deck Height: 2'8" to 3'4"



SM DM

Luminous Ascent
Deck Height: 4' to 6'

Bridges and Links



SM

Patter Path Link
Deck Height: 1'4" to 2'



NEW!

SM DM

Small Climbing Rock Link (Rotomolded)
Call for more information



SM DM

Large Climbing Rock Link (Rotomolded)
Call for more information



SM DM

Side Winder
Deck Height: 8" to 2'8"



SM DM

Swing Around
Maximum upper deck height is 5'4"
Available in 1'4" or 2' rise



SM

Scoop Loop Link
Deck Height: 3'4" to 4"



SM

Hill Top Climbing Link
Deck Height: 2' to 3'4"



SM DM

Space Walk
Deck Height: 8" to 2'8"



SM DM

Elevating Space Walk
8' Ground to Deck
Deck Height: 8" to 2'8"
Lower deck is 16" below



SM

Swoop Step Link
Deck Height: 1'4" to 4'



SM

Stepping Bridge Link
Deck Height: 8" to 2'8"



SM

Cable Sway Link
Deck Height: 2' to 4'8"



SM DM

Cable Ridge Link
Deck Height: 1'4" to 4'8"

Bridges and Links

NEW!

The Solstice link is available in either configuration shown. Mix two different colors to match your playground palette!

NEW!

SM DM

Solstice Hourglass Link
Maximum upper deck height is 6'
Lower deck is 32" or 24" below

SM DM

Solstice Climber Link
Maximum upper deck height is 6'
Lower deck is 32" or 24" below



DM

Cable Maze
Maximum upper deck height is 4'
Lower deck is 2' below



NEW!
for SuperMax

SM DM

Scramble Up
Maximum upper deck height is 4' for DM, 6' for SM
Lower deck is 2' below



SM DM

Tightrope Link
Deck Height: 1' to 1'4"
Lower rope is only available in beige



SM DM

Labyrinth Link
Deck Height: 1'4" to 4'8"



SM DM

Side Stepper
Maximum upper deck height is 4'
Lower deck is 2' below



SM

Wobble Bridge
Deck Height: 1'4" to 4'

Ramps, Bridges and Links


SM SuperMax DM DuraMax TM totmax



SM
8' Accessible Ramp
 Deck Height: 8" thru 8'
 Ramp Length: 8" rise with 8' span



SM
12' Accessible Ramp
 Deck Height: 1'
 Ramp Length: 12" rise with 12' span



SM DM TM
Arch Bridge
 SuperMax Bridge Length: 4' & 8'
 DuraMax & totmax Bridge Length: 3' & 6'



SM DM TM
Straight Bridge
 SuperMax Bridge Lengths: 8'
 DuraMax & totmax Bridge Length: 6'



SM DM TM
Trestle Bridge
 Bridge Lengths: SuperMax 4' & 8'
 DuraMax & totmax 3' & 6'



SM DM TM
90° Curved Bridge



SM DM TM
Step Ladder
 Deck Height: 2' to 6'



SM DM TM
Deck to Deck Stairs
 Also available as Wide Deck to Deck Stairs



SM DM TM
Triangle Transfer Point
 With handhold & return step
 Deck Height: 2' to 5' 4"



SM
Slide Transfer
 Provides an easy transfer to slides without using an additional deck



SM DM TM
HDPE Vertical Ladder
 Available in 1'4" to 4' rise

Upper Body Activities



SM DM

Track Ride

Lengths: 12' Ground Level Activity
Also available in 24' for SuperMax



SM DM

Wild Swinger

Ground Level Activity



SM

Trapeze Rings

Deck Height: 8" to 2' 8"



SM

Double Trapeze Rings

Length: 8' Deck Height: 8" to 2' 8"



SM DM

Twister

Deck Height: 8" to 2' 8"



SM DM

Chinning Bar

Ground Level Activity



SM DM

Swivel Station

Deck Height: 1' 4" to 2' 8"



SM DM

Horizontal Loop Ladder

Deck Height: 8" to 2' 8"
Available as link or attachment.



SM DM

Climb-A-Round

Deck Height: 8" to 2' 8"
Available as link or attachment.



DM

Horizontal Swoop Ladder
Deck Heights: 8" to 2'8"
Available as link or attachment.



SM DM

Single Horizontal Rail Ladder
Deck Height: 8" to 2'8"
Available as link or attachment.



SM DM

Double Horizontal Rail Ladder
Deck Height: 8" to 2'8"
Available as link or attachment.



SM DM

90° Loop Ladder
Deck Height: 8" to 2'8"
Available as link or attachment.



SM DM

360° Loop Ladder
Deck Height: 8" to 2'8"



SM DM

Straight Loop Ladder
SuperMax: 6' and 8'
DuraMax: 6'
Available as link or attachment.



SM DM

'S' Horizontal Ladder
Deck Height: 8" to 2'8"
Available as link or attachment.



SM DM

'S' Loop Ladder
Deck Height: 8" to 2'8"
Available as link or attachment.



SM DM

'L' Horizontal Ladder
Deck Height: 8" to 2'8"
Available as link or attachment.



SM DM TM

Single Seat
Ground level activity



SM DM

Log Roll
Ground Level Activity



SM DM

Jump 'N' Bounce
Ground Level Activity
(Jumping platforms are performed)



SM DM

Pedal Pusher
Ground Level Activity



SM DM

Turning Bar
Ground Level Activity



SM DM TM

Leg Lift
Ground Level Activity



SM

Tilt N Twirl
Ground Level Activity



SM DM TM

Playwheel
Ground Level Activity



SM DM TM

Table & Seat for 2
Available below decks



SM DM TM

Bench Seat
Available below decks



SM DM TM

Sand & Water Panel
Available below decks



SM DM TM

Crawl-Thru Panel
Available below decks



SM DM TM

Lookout Panel
Available below decks



SM DM TM

Doorway Panel
Available below decks



SM DM TM

Store Panel
Available below decks



SM DM TM

Seat Panel
Available below decks

a-maze and Music Panels

SM SuperMax DM DuraMax TM totmax



DM TM

Double Activity Panel

Available above and below decks



SM DM TM

2-in-1 Panel Attachment

Select activities from page 132



SM DM TM

Push-Pull Panel

Select activities from page 132



SM

Triple Activity Panel

Available above and below decks



SM DM TM

a-maze Single Panel

Select activities from page 132



SM DM TM

Mini a-maze Panel

Ground level activity



SM DM TM

Music Panel

Available above and below decks



SM DM TM

Drum Line


Available above and below decks



SM DM TM

Deep Kettle Drum

Available above and below decks



SM DM TM

Rattle & Ring

Available above and below decks



SM DM TM

Whistle

Available above and below decks



SM DM TM

Rain Wheel


Available above and below decks



SM
Space Shuttle Launch Panel
 Available above and below decks



SM DM TM
Moon Phase Panel
 Available above and below decks



SM DM TM
Flower Maze Panel
 Available above and below decks



SM DM TM
Shapes & Motion Mirror Panel
 Available above and below decks




SM DM TM
Paddle Ball Panel
 Available above and below decks



SM DM TM
Ship's Wheel Panel
 Available above and below decks



SM DM TM
Blocks & Wheels Panel
 Available above and below decks



SM DM TM
Racing Game Panel
 Available above and below decks

Customize a playground with unique panels that symbolize important aspects of your park, school, or community. Learn more about how to create a special, memorable design from your recreation consultant.



SM

Custom Train Themed Panels

Ask us about custom themed panels, available above and below decks. Additional lead time required.



SM

Bluebonnet Panel

Theme panels to recognize local state flora



SM

Raceway Rock N Wave

Theme a Play & Park product to match a local mascot



SM

Race Car Driver Panel

Theme panels to call out specific sporting activities



TouchMath®

is an award-winning multisensory program, created by Innovative Learning Concepts Inc., that uses its signature TouchPoints to engage students of all abilities and learning styles in a variety of mathematical concepts.



Touch Math® Panel

Includes award-winning TouchMath™ multisensory math curriculum to use outdoors.



US Maps Panel

Above & below decks.
SuperMax available with state abbreviations



Sign Language Panel

Available above and below decks



Math Panel

Available above and below decks



Spelling Panel

Available above and below decks



Tic-Tac-Toe Panel

Available above and below decks



Sensory Summit Climbers and Links

The Sensory Summit System breaks down physical and social barriers by providing an inclusive multisensory experience for children and adults of all abilities as they climb, explore, discover, and interact together. The ability to create multiple configurations is what makes the Sensory Summit so unique. This organic shape can be used as a climber, a link from one deck to another, or a playful transfer area.



SM DM

Sensory Summit Playful Transfer

Deck Height: 1'4"



SM DM

Sensory Summit Ascend Climber

Deck Height: 4'8" and 5'4"

Shown with optional sensors - sold separately. See Chart on page 120.



SM DM

Sensory Summit Arch Climber

Deck Height: 2'8" and 3'4"

Shown with optional sensors - sold separately. See Chart on page 120.



SM DM

Sensory Summit Range Climber

Deck Height: 2'8" and 3'4"

Shown with optional sensors - sold separately. See Chart on page 120.

Request our new PlayAbilities catalog to bring more inclusive play to your community.



Play Sensors

Play Sensors offer a rich and balanced sensory experience, providing visual, tactile, and auditory activities. Base configurations and sensor options are sold separately. Use the chart below or ask your recreation consultant for recommendations.

Visual Sensors		Visual Sensors		Auditory Sensors		Tactile Sensors		
	Small or Large	1 Sided (Small or Large) 2 Sided (Large Only)		Small or Large	1 Sided		Small or Large	1 Sided
Pachinko			Yellow Window			Genoa Textured Window		
	Small or Large	2 Sided		Small or Large	1 Sided		Small or Large	1 Sided
Color Wheel			Green Window			Lava Textured Window		
	Small or Large	1 or 2 Sided		Small or Large	1 Sided		Small or Large	1 Sided
Flat Mirror			Red Window			Mezzo Textured Window		
	Small or Large	1 or 2 Sided		Small or Large	1 Sided		Small or Large	2 Sided
Fun Mirror			Orange Window			Roller Balls		
	Small or Large	1 Sided (Large Only) 2 Sided (Small or Large)		Small or Large	1 Sided			
Hour Glass			Blue Window					
	Large	2 Sided						
Twist Ball								
	Small or Large	1 Sided (Large Only) 2 Sided (Small or Large)						
Hypnetic								
					Small & Large	1 & 2 Sided		
				Bells				
					Small or Large	2 Sided		
				Diddle Box				
					Large	2 Sided		
				Giggler				
					Small or Large	2 Sided		
				Spin Chimes				
					Large	1 or 2 Sided		
				Rain				
					Large	1 or 2 Sided		
				JamBox				
					Large	1 or 2 Sided		
				Piano				
					Large	1 or 2 Sided		
				Wave Sound				

These 3 Sensors are Adaptive Switch Ready



*Adaptive switch not included.



Adaptive switch capability

allows children with limited upper body or fine motor control the ability to activate auditory features.

Sensory Summit Links

Sensory Summit Links can be used with or without Sensors.

Inclusive Play

playandpark.com | 800.727.1907



SM DM

Sensory Summit Serpentine Link
Deck Height: 8" to 4'
Shown with optional sensors - sold separately.
See Chart on page 120.



SM DM

Sensory Summit Arch Link
Deck Height: 8" to 4'
Shown with optional sensors - sold separately.
See Chart on page 120.



SM DM

Sensory Summit Bridge Link
Deck Height: 2'8" to 6'
Shown with optional sensors - sold separately.
See Chart on page 120.



SM DM

Sensory Summit Ascend Link
Deck Height: 8" to 2'
Shown with optional sensors - sold separately.
See Chart on page 120.



SM DM

Sensory Summit Range Link
Deck Height: 8" to 4'
Shown with optional sensors - sold separately.
See Chart on page 120.



Our panel designs offer a large selection of events from which to choose - allowing for the introduction of music and sound, teaching about cause and effect, or adding a fun, interactive game to the playground!



SM DM TM
Moon Phase Panel
 shown with SuperMax panel



SM DM TM
Buzz Game
 shown with DuraMax panel

Visit playandpark.com to view videos of these interactive panels.

Choose from any of the following activities:



SM DM TM
Piano Panel
 Eight realistic, diatonic-tuned notes can be played in the key of C.



SM DM TM
Drum Panel
 Features eight sensors with seven realistic drum sounds.



SM DM TM
Buzz Game
 Narrator guides children who must act quickly and correctly to keep the game going!



Sensors are touch-sensitive



SM DM TM
Maze Game
 Players move the red knob to find the best path from start to finish.



SM DM TM
Switchback
 Turn the wheel and watch ball bearings zig zag down from top to bottom.



SM DM TM
Gear Panel
 Turn the knob and watch the interconnected gears spin in unison.

NEW!



SM

Roller Table | 65158
Ground Level Activity



Promotes cause-and-effect learning!

DM

TurnAcross™
Deck Height: 1'4"



The TurnAcross™ features a turning device that children can easily crank to move the gondola back and forth along a rubberized track. Available with ground level accessibility, the gondola is designed as ADA transfer point.

Inclusive Play

playandpark.com | 800.727.1907



SM

Fire Truck Attachment
Deck Height: 8" and 1'4"



SM

Rock and Wave
Deck Height: 2'

The Deck Curb allows for the use of ADA half panels on a ramped structure by ensuring the wheels of the mobility device remain securely on the deck surface.



SM DM TM

Spin & Win Panel
Available above and below decks

SM Deck Curb



SM DM TM

Pedal Pusher
Ground Level Activity



SM DM TM

ADA Pedal Pusher
Ground Level Activity



SM DM TM

Hand Pedaler
Ground level activity



SM DM TM

Telephone Tubes
Ground Level Activity. Sold in pairs.



SM DM TM

Ship's Wheel Panel
Available above and below decks



SM DM TM

Driving Panel
Available above and below decks



SM DM TM

Word Scramble Panel
Available above and below decks

Barrier Panels

SM SuperMax DM DuraMax TM totmax

NEW!



SM DM TM

Pipe Wall
Available above decks



SM

Origami Panel
Available above decks



SM DM TM

Pipe Wall with Single Playwheel
Available above and below decks



SM

Pipe Wall with Double Playwheel
Available for SuperMax



SM DM TM

Balcony Deck with Playwheel
Available above and below decks
Also available without Playwheel



SM DM TM

Mirror Panel
Available above and below decks



SM DM TM

House Panel
Available above and below decks



SM

Cabin Window Panel w/ Seat
Available above and below decks
Also available without seat



SM DM TM

Enhanced Barrier Panel with Rain Wheel
Available above and below decks
Also available with Playwheel or as panel only



SM DM TM

Telescope Panel
Available above decks



DM TM

Bubble Panel
Available above and below decks



SM

Metal Seat Panel
Available above and below decks



SM DM TM

Tunnel Panel
Available above and below decks



SM

Recycled Slat Barrier Panel
Available above decks

Consult your Play & Park Structures representative for component age appropriateness.



NEW!

SM

8' Tree with Hex Deck (GFRC)
Available with or without roof



SM

Slat Barrier Panel with Rain Wheel

SM

Slat Barrier
Available above decks



SM

Enchanted Potting Bench
This adorable bench, die cut with dragonflies and branches supports 4 potted plants.
Available below deck only.



SM

Bubble Panel with Slats
Available above decks



SM

Spy Barrier Panel
Available above decks



SM

Rope Ladder
Deck Height: 2'8" to 8'



SM

DM

Zip Step Climber
Deck Height: 2'8" to 8'



SM

The Clubhouse Climber
Deck Height: 8'



SM

Leaf Climber
Deck Height: 8'



SM DM

Angled Rock
Height: 3'4" to 4'8"
Rotomolded rock



SM DM

Rappelling Rock
Height: 3'4" to 4'8"
Rotomolded rock



SM

Beanstalk Climber
Deck Height: 2'8" to 8"



SM DM TM

Tree Stump Climber
Deck Height: 4'



SM

Large Rock Climber
Deck Height: 4'
Rotomolded rock

NEW!



SM DM

Small Rock Climber
Deck Height: 32"
Rotomolded rock



SM DM TM

Bug Panel (Steel Panel)
Available above and below decks



SM DM TM

Earth Panel (Steel Panel)
Available above and below decks



SM DM TM

Water Cycle Panel
Available above and below decks



Play & Park Structures' features the largest integrated shade in the industry. Ask us how we can incorporate this important element to your next project.

NEW!



SM

4 Deck Square Shade

Our newest shade configuration spans 20' to now cover 4 decks!



SM DM

SunShade Isosceles



SM DM

SunShade Triangle



SM DM

SunShade Square



SM

14' Sail Canopy



SM

20' Square Fabric Shade



SM DM

Single Post Fabric Shade



SM

Hex Fabric Shade



SM DM TM

FunVisor Roof
Component configuration



SM DM TM

Double FunVisor Roof
Half-Hex Deck configuration



SM DM TM

Triple FunVisor Roof
Hex Deck configuration




SM DM TM

Stacked FunVisor Roof



SM DM TM

Curvy Canopy Roof



SM DM TM

Curvy Hex Roof



SM DM

Peak Perforated Roof



SM

Arch Roof



SM

Recycled Roof



SM

Square Slat Roof



SM

Half Hex Slat Roof

Custom Signage

Whether your project needs standard age appropriate signage or something more custom, we have a variety of options to meet your requirements and your budget.



SM DM TM

Custom Steel Arch Signs
Additional lead time required.



Custom Arch Sign



SM DM TM

Flag



Custom Flag



SM DM TM

Arched Post



SM

Custom Poly Arch Sign



SM DM TM

Custom Fiberglass Arch Signs
Additional lead time required.

Unique, custom signage can be designed for projects to acknowledge playground donors, showcase special mascots, or to honor a special child.



Custom Fiberglass Sign 67864

Custom signs can be one or two sided. Please allow additional lead time for all custom signage projects. Ask your recreation consultant for more information.



67866
2-5 years

67868
2-5 or 5-12

67867
5-12 years

Age Appropriate & Custom Signs

These are examples of colorful options that designate age appropriateness of the playground or utilize custom artwork to personalize the play space. Freestanding signs must be placed outside of the equipment use zone to comply with ASTM F-1487.

- 67866 | Age-Appropriate Sign (ages 2-5 years)
- 67868 | Age-Appropriate Sign (ages 2-5 or 5-12 years)
- 67867 | Age-Appropriate Sign (ages 5-12)
- 67864 | Custom Fiberglass Sign 1-sided
- 67865 | Custom Fiberglass Sign 2-sided



Create visual and sensory activities supported by standards-based curriculum.

a-maze

Revolutionary Motion Panels

Providing a balance of free play and structured play is important for children's development. The a-maze motion panel system provides an outdoor learning option that fosters creativity and imagination with innovative activity panels that can be manipulated to create new play experiences with each visit.



FREE! Receive the standards-based a-maze Activity Guide to enhance the learning experience on the playground, free with purchase of the a-maze motion panel system.



Panels spin 360° locking in place every 30° to allow children to configure their own play space!



SM
Sample Maze Path 1
48" on center

Panel Options



SM
4-Panel Funstation | 67781
Choose 2 Large & 4 small Activities

SM
2 Panel Fun Station | 67825
Choose 1 Large & 2 small Activities

SM DM
Single Panel | 67800
Choose 1 large activity

SM DM
Push-Pull Panel | 67802
Choose 2 small activities

SM DM
2-in-1 Panel | 67801
Choose 2 small activities

play&park
music makers™

Play & Park Music Makers™ introduce whimsical instruments with playful and surprisingly authentic sounds to the outdoor play environment. Each instrument is designed to generate a unique sound and inspire children to create their very own compositions on the playground.

You can combine instruments to create your own custom symphony.



Orchestra | 67836



Quartet Performance Stage | 67838



Marching Band Interactive | 67839
Children face each other as they collaboratively create music.



Bongos



Rain Wheel | 68230



Tuba Talk



Quartet | 67834



Marching Band | 67835



Music Bench | SF-326

Music Makers™ Designed for ages 2-5 or 5-12

Item	Description	Fall Ht.	Activities	ASTM Use Zone	Capacity	Activities					
						Rattle & Ring	Whistle	Rain Wheel	Drum Line	Tuba Talk	Deep Kettle Drum
67835	Marching Band - Standard	-	10 events	22' 5" x 20' 1" 684 cm x 613 cm	15 kids	1	1	2	2	2	2
67839	Marching Band - Interactive	-	10 events	26' 3" x 20' 1" 800 cm x 613 cm	15 kids	1	1	2	2	2	2
67836	Orchestra - Standard	-	15 events	25' 7" x 20' 5" 780 cm x 623 cm	23 kids	2	2	2	3	3	3
67840	Orchestra - Interactive	-	15 events	25' 9" x 22' 4" 785 cm x 681 cm	23 kids	2	2	2	3	3	3
67834	Quartet	-	6 events	21' 4" x 15' 0" 651 cm x 458 cm	9 kids	1	1	1	1	1	1
67838	Quartet Performance Stage	1' 4"	6 events	20' 8" x 21' 8" 630 cm x 661 cm	15 kids	1	1	1	1	1	1

Accessibility dependent upon the design of the structure and surfacing



FREE! Standards-Based Music Makers Activity Folder with every purchase.* Each activity teaches children about a different aspect of music including tone, rhythm, creative movement, and dance. Enhance learning opportunities on your playground with the Music Makers activity cards!

*Excluding the purchase of a single whistle or rain wheel.



Igloo Net | 65157

Freestanding Play Events

Freestanding events provide the opportunity to add fun to smaller spaces and to update your playground with minimal expense. Adding freestanding equipment can re-energize a playground and get kids of any age excited about outdoor play. Choose from motion components, climbers, and freestanding slides and watch your playground come to life!



Freestanding 6' Single Velocity Wave Slide | 67776

Available in 4' (122 cm), 6' (183 cm) and 8' (244 cm) heights



Freestanding 4' Double Velocity Slide | 67773

Available in 3' (91 cm), 4' (122 cm) and 6' (183 cm) heights



Freestanding 4' | 68316
Early Horizons Velocity Slide



6' Hurricane Slide | 67723



Single Hillside Slide | 65140
Custom application shown



Double Hillside Slide | 65150
Custom application shown



6' Stainless Steel Slide | 67537


Freestanding Events

Model	Description	Age	Deck Height	ASTM Use Zone
67772	3' (91 cm) Double Velocity Slide	2-5 or 5-12	3' (91 cm)	16'1" x 21'2" 490 cm x 645 cm
68316	4' (122 cm) Early Horizons Velocity Slide	2-5 or 5-12	4' (122 cm)	15'4" x 23'2" 247 cm x 706 cm
67775	4' (122 cm) Single Velocity Slide	2-5 or 5-12	4' (122 cm)	15'4" x 23'2" 247 cm x 706 cm
67773	4' (122 cm) Double Velocity Slide	2-5 or 5-12	4' (122 cm)	14'7" x 26'7" 445 cm x 810 cm
67776	6' (183 cm) Single Velocity Wave Slide	5-12	6' (183 cm)	15'4" x 27'2" 467 cm x 828 cm
67774	6' (183 cm) Double Velocity Wave Slide	5-12	6' (183 cm)	16'1" x 27'3" 490 cm x 831 cm
67833	8' (244 cm) Single Velocity Slide	5-12	8' (244 cm)	16'8" x 31'3" 508 cm x 953 cm
67723	6' (183 cm) Hurricane Slide	5-12	6' (183 cm)	16'7" x 23'3" 505 cm x 709 cm
67537	6' (183 cm) Stainless Steel Slide	5-12	6' (183 cm)	15'8" x 29'6" 478 cm x 899 cm
65157	Igloo Net	10-15	6'	24'6" x 24'6" 746 cm x 746 cm




NetMax SpiderNet Small | 65159

Age: 5-12
ASTM Use Zone: 29'0" x 29'0"
Fall Height: 3'0"



NetMax SpiderNet Medium | 65160

Age: 5-12
ASTM Use Zone: 41'0" x 41'0"
Fall Height: 6'0"



NetMax SpiderNet Large | 65161

Ages: 5-12
ASTM Use Zone: 57'0" x 51'0"
Fall Height: 6'0"

NetMax SpiderNets are only available with black cable and galvanized posts

OVER
UNDER
IN ON
AROUND


Play & Park Structures Exploration Stations

provide unlimited opportunities for open-ended play. Unique shapes, interesting textures, and stimulating colors provide an immersive, sensory experience, and invite children of all abilities to explore and interact with one another as they continually design their own play experiences.



The easy grip texture of the play elements provides a variety of sensations and unlimited ways to explore and discover.

The components are reinforced with durable cable that extend the entire length of the product. Polyurethane foam is then coated with a durable, weather-resistant polyurea skin to create a unique suspended play element.



Corkscrew Cluster Cross Section



"The students at our school really benefit from the sensory aspect of the Exploration Stations. The textures provide tactile stimulation and the soft texture invites children to hug the pieces as they move through the play space."

Miss Elda, Special Needs Teacher for 3rd-5th graders at Vista Del Mar School, Los Angeles, CA

2-5 5-12

Exploration Junction | 68116

ASTM Use Zone: 28' x 27' | 860 cm x 829 cm
Fall Height: 7' | 215 cm

Freestanding

playandpark.com | 800.727.1907



2-5 5-12

Exploration Matrix | 68119

ASTM Use Zone: 21' x 26' | 645 cm x 799 cm
Fall Height: 7' | 215 cm

Exploration Stations can be integrated into existing play spaces to create a more inclusive environment.



Every child loves a Car Wash—our inspiration!

2-5 5-12

Exploration Gateway | 68117

ASTM Use Zone: 31' x 31' | 952 cm x 952 cm
Fall Height: 7' | 215 cm

*These products are best installed in private, supervised environments.



Harmony Music Collection

This family of creative musical instruments presents an innovative way to introduce the soothing sounds of metallophones and chimes, coupled with the rhythmic percussive beat of drums, in an outdoor environment. Tuned to a Pentatonic Scale, the resonating sounds provide a positive introduction to music for all users.



Conga Drums - Set of 3 | 68140



Conga Drums - Set of 2 | 68130

The Conga Drums inspire spontaneous improvisation as children create resonating vibrations with their hands. Available in two or three drum configurations.



All instruments except the drums include **Adaptive Mallets** to allow children with limited grasp the ability to participate.



Presto | 68129

23 resonated bars provide a bold, gong-like sound, tuned to the key of C Major and A Minor.



Sonata | 68128

Tuned in the key of C Major, the resonators give this metallophone a warm tone that lingers for three to five seconds.



Curved Chime | 68131

Single A Minor Chime | 68143

Single C Major Chime | 68144

This unique curved instrument can be played from either side, and can be positioned linearly or in a circle to create a cozy space. Included 4 total mallets.



Allegro | 68127 - Set of 7

The low resonant tones of the Allegro can be both heard and felt, offering both auditory and vestibular sensory engagement. Available in sets of 1, 3, and 7 for endless configuration possibilities.



2-5 5-12

Sensory Summit Roundabout

Shown with sensors, sold separately.
 ASTM Use Zone: 25'11" x 23'7" | 796 cm x 725 cm
 Sensors sold separately



2-5 5-12

Sensory Summit Range

Shown with sensors, sold separately.
 ASTM Use Zone: 30'11" x 19'2" | 950 cm x 589 cm
 Sensors sold separately



2-5 5-12

Sensory Summit Arch

Shown with sensors, sold separately.
 ASTM Use Zone: 28'2" x 15'2" | 865 cm x 466 cm
 Sensors sold separately



A playful transfer point assists individuals transferring on and off the system.

2-5 5-12

Sensory Summit Ground Transfer

Shown with sensors, sold separately.
 ASTM Use Zone: 21'4" x 16'11" | 655 cm x 520 cm
 Sensors sold separately

Embedded hand holds for fine motor grasping



2-5 5-12

Sensory Summit Serpentine

Shown with sensors, sold separately.
 ASTM Use Zone: 29'5" x 19'8" | 904 cm x 604 cm
 Sensors sold separately

The Sensory Summit

All freestanding Sensory Summit designs are purchased independently of the sensors shown on renderings. To add sensors to a Summit design, refer to page 120 for the full sensor offering, or ask your recreation consultant to make recommendations based on the tactile, visual, or auditory needs of your project.

Cozy Seating

Whimsical, creative seating that provides rest and relaxation while using subtle textures to create a sensory experience.



These seating products are made with polyurethane foam that is coated in durable, yet flexible polyurea skin to provide a cozy and fun place to rest. Each seating product is reinforced with a metal frame for added support.



Drizzle Bench with Back | 68126

Cushioned, textured coating provides an area for gathering and socializing as well as a comfortable seating area for supervisors and caregivers.



Drizzle Bench | 68121

Playful seating provides a passive area for 'Jump-in points' where children can observe and understand play activity prior to participating.



Drizzle Pod Bench | 68124

This creative bench allows children to retreat, observe, and integrate into play as they are emotionally ready to process the environment and engage in play.



Bubble Pods | 68125 (set of 3)

Bubble Pod | 68122 – 18"

Bubble Pod | 68123 – 14"

We've taken the current trend of balance balls and transformed them into textured, playful, outdoor seating that allows children to invent creative games, and refine their balance skills.

*Cozy seating is specially designed for supervised or private environments.



5-12

Air Walker

Bring the excitement of a zip line to schools, parks, and communities for ages 5-12.

Air Walker 100' | 68050
ASTM Use Zone: 120'0" x 24'6"

Air Walker 75' | 68051
ASTM Use Zone: 95'0" x 24'6"



Check out the video on our website, to see the Air Walker in action!



5-12

Single Track Ride | 67506

ASTM Use Zone: 17' x 25'
518 cm x 762 cm



5-12

Double Track Ride | 67521

ASTM Use Zone: 17' x 37'
518 cm x 1128 cm



5-12

Log Roll | 67771

ASTM Use Zone: 14'0" x 13'3"
427 cm x 404 cm





Speedy Spinner | 67533
 ASTM Use Zone: 19' 8" x 19' 8"
 599 cm x 599 cm



Bouncing Button Step | 67831
 ASTM Use Zone: 15' 5" x 15' 5"
 470 cm x 470 cm
 Inground mount package is required,
 sold separately.



Twin Spin Seat | 67826
Clicking Twin Spin | 67827
 ASTM Use Zone: 13' 6" x 13' 6"
 411 cm x 411 cm



Tilted Twin Spin | 67828
Clicking Tilted Twin Spin | 67829
 ASTM Use Zone: 13' 6" x 13' 6"
 411 cm x 411 cm



Whirl & Twirl | 65156
Whirl & Twirl with Clicker | 65155
 ASTM Use Zone: 15' 7" x 15' 7"
 475 cm x 475 cm



2-Seat Bounce Around | 67534
 ASTM Use Zone: 19' 9" x 13' 11"
 602 cm x 424 cm



Strata Bounce | 67956
 ASTM Use Zone: 21' 10" x 14' 6"
 665 cm x 442 cm



Incorporating two individual seats, a bench seat, and ample room for sitting and standing, the Whirl with Me allows multiple children the opportunity to socialize with their peers as they spin and whirl.



2-5 5-12

Whirl with Me | 68048
ASTM Use Zone: 17' 8" x 17' 8"



2-5 5-12

**Whirl with Me
With Center Wheel | 68049**
ASTM Use Zone: 17' 8" x 17' 8"

Motion Activities



5-12

Jump 2 It | 67953
ASTM Use Zone: 20'7" x 13'7"
627 cm x 414 cm



5-12

Ring Race | 67843
ASTM Use Zone: 18'7" x 27'3"
566 cm x 831 cm



5-12

Tetherball | 67646
ASTM Use Zone: 15'7" x 15'7"
475 cm x 475 cm




5-12

8' Ball Toss | 67515




2-5 5-12

4-Seat Bounce Around | 67535
ASTM Use Zone: 21'8" x 21'8" | 660 cm x 660 cm




5-12

Dizzy Vine Climber | 68177
ASTM Use Zone: 24'9" x 18'10"



5-12

Triple Twister | 67959
Double Twister also available
ASTM Use Zone: 21' x 21' | 640 cm x 640 cm



5-12

Mini Fly-A-Round | 67989
ASTM Use Zone: 16'4" x 16'4"
498 cm x 498 cm



5-12

Fly-A-Round | 67988
ASTM Use Zone: 18'2" x 18'2"
554 cm x 554 cm



5-12

FunTrainer | 67907
ASTM Use Zone: 15'7" x 15'7"
475 cm x 475 cm



5-12

Synchro Spinner | 68043
Rotates 360°
ASTM Use Zone: 14' x 14'
427cm x 427cm



2-5 5-12

Scoop Digger with Seat | 67841
Rotates 360°
ASTM Use Zone: 7'6" x 7'6" | 229 cm x 229 cm



2-5 5-12

Accessible Scoop Digger | 67842
Rotates 180°
ASTM Use Zone: 5'6" x 2'9" | 168 cm x 84 cm

Spring Bouncers

All Spring Bouncers come standard surface mounted. Inground Mount Package available for Coil Spring Bouncers.



31"
79cm

Double Flyer | 66537
ASTM Use Zone: 16' 5" x 14' 2" | 500 cm x 432 cm



32"
81cm

Dolphin | 66538
ASTM Use Zone: 15' x 13' 7" | 457 cm x 414 cm



48"
122cm

Seal with C-Spring | 66567
Seal with Coil Spring | 66541
ASTM Use Zone: 15' x 13'
462 cm x 396 cm



35"
89cm

Horse with C-Spring | 66566
Horse with Coil Spring | 66546
ASTM Use Zone: 15' 2" x 13'
462 cm x 396 cm



29"
74cm

Solo Flyer | 66547
ASTM Use Zone: 15' 5" x 14' 2"
470 cm x 432 cm



26"
66cm

Tire Bouncer | 66548
ASTM Use Zone: 14' 7" x 14' 7"
445 cm x 445 cm



35"
89cm

Truck | 66542
ASTM Use Zone: 15' 5" x 13'
462 cm x 396 cm



33"
84cm

Sea Horse | 66544
ASTM Use Zone: 15' 1" x 13'
462 cm x 396 cm



39"
99cm

Motorcycle | 66536
ASTM Use Zone: 15' 7" x 13' 1"
475 cm x 399 cm



31"
79cm

Frog | 66545
ASTM Use Zone: 14' 6" x 13' 7"
442 cm x 414 cm



See-Saw Bouncer | 66534
ASTM Use Zone: 14' 1" x 20' 3" | 429 cm x 617 cm

Sand & Water Centers

Sand & Water play encourages discovery and exploration on a whole new level.

Pre-Chosen Kid Colors:
Items shown on pages 146-147 have pre-chosen kid-colors, except for the Van, Fire Truck & Dump Truck bouncers. Those are available in all 2-color HDPE plastic colors.



2+2 Swinger | 66535
ASTM Use Zone: 17' 3" x 15' 10" | 526 cm x 483 cm



Van | 66563
ASTM Use Zone: 15' 2" x 13' | 462 cm x 396 cm



Fire Truck | 66564
ASTM Use Zone: 14' 5" x 13' 5" | 439 cm x 409 cm



Dump Truck | 66565
ASTM Use Zone: 14' 5" x 13' 5" | 439 cm x 409 cm
*Note: Van, Fire Truck & Dump Truck bouncers are available in all 2-color HDPE plastic colors.

Sand and Water Play

Each Sand & Water Activity Center includes basins for water or sand, lids, and is equipped with a drain fitting for easy maintenance. The thick, stain-resistant plastic and high-density polyethylene will offer years of happiness!



Sand Spot | 66524
Ages: 2-5 years
Width: 38" | 99 cm
Capacity: 2-4 kids
Elevation: 16" | 41 cm
Length: 39" | 99 cm



Multiple Seating Areas

surround this distinctive sailboat inspired sandbox, inviting kids to socialize as they hunt for buried treasure.

Sailboat Sandbox | 66506
Ages: 2-5 or 5-12 years
Width: 77" | 196 cm
Capacity: 10 kids
Elevation: 97" | 196 cm
Length: 107" | 272 cm

This Accessible Table

can be used for sand play or as a planter. Constructed of 14-gauge hot rolled steel spinning with 2-3/8" (6 cm) O.D. galvanized steel supports.



Elevated Sand Table/Planter | 67837
Ages: 2-5 or 5-12 years
Capacity: 4-6 kids



MaxClimb Matrix | 67724




MaxClimb Quest | 67725



MaxClimb Crux | 67726

- 1 MaxClimb allows for ultimate supervision
- 2 Double Wall Rotomolded Plastic
- 3 Powder-coated Steel Accents & Support Posts
- 4 Steel-Reinforced Polyester Cable
- 5 Galvanized Steel Connectors
- 6 No Handholds to tighten means less maintenance
- 7 Flat Stepping Areas



MaxClimb Ridge Top | 67745



MaxClimb Peak | 67747



MaxClimb Keystone Cable Climber | 67748




MaxTwist Climber | 67974



MaxTwist Challenge | 67975



MaxClimb Challenge | 67727



MaxClimb Crest | 67746

Climbers – MaxClimb

Model	Description	Fall Height	Age	ASTM Use Zone
67724	MaxClimb Max	8' (244 cm)	5-12	20' 4" x 19' 3" 620 cm x 587 cm
67725	MaxClimb Quest Freestanding	8' (244 cm)	5-12	13' 8" x 20' 10" 417 cm x 635 cm
67726	MaxClimb Crux	8' (244 cm)	5-12	12' 7" x 16' 10" 384 cm x 513 cm
67745	MaxClimb Ridge Top	8' (244 cm)	5-12	14' 9" x 30' 10" 450 cm x 940 cm
67747	MaxClimb Peak	8' (244 cm)	5-12	14' 5" x 22' 5" 439 cm x 683 cm
67748	MaxClimb Keystone Cable Climber	8' (244 cm)	5-12	15' 1" x 22' 4" 460 cm x 681 cm
67974	MaxTwist Climber	4' (122 cm)	2-5 or 5-12	23' x 16' 701 cm x 488 cm
67975	MaxTwist Challenge	4' (122 cm)	2-5 or 5-12	25' 6" x 14' 9" 777 cm x 450 cm
67727	MaxClimb Challenge	4' (122 cm)	2-5 or 5-12	13' 1" x 16' 3" 399 cm x 495 cm
67746	MaxClimb Crest	4' (122 cm)	2-5 or 5-12	14' 4" x 22' 5" 437 cm x 683 cm

New Climbers and Activities



NEW!

Ages 5-12
ASTM Use Zone: 22'0" x 23'0"



Coming Soon!

Pinnacle Coaster
Ages 5-12
ASTM Use Zone: 25'6" x 18'9"



Coming Soon!

Pinnacle Dome
Ages 2-5 or 5-12
ASTM Use Zone: 6'8" x 6'8"




Pinnacle Cruiser
Ages 2-15
ASTM Use Zone: 20'0" x 15'8"



Igloo Net | 65157
Age: 5-12 | Capacity: 10-15
ASTM Use Zone: 24'6" x 24'6"
Fall Height: 6'



Spinning Seat | 68156
The Spinning Seat provides proprioceptive movement experiences, encourages cooperation, and features a supportive seat and handles to help users sustain engagement.
ASTM Use Zone: 14'5" diameter | 455 cm
Optional adjustable strap available.



Hexagon Net | 68175
Ages: 5-12 | Capacity: 25-35
ASTM Use Zone: 25' x 25'
Fall Height: 6'

Independent Climbing



Rock Duo Climber | 67950

ASTM Use Zone: 37'8" x 17'8" | 1148 cm x 538 cm
Rotomolded rock




Large Boulder | 68196

ASTM Use Zone: 18' x 16' | 472 cm x 561 cm
Rotomolded rock



Small Boulder | 68197

ASTM Use Zone: 18' x 16'
Rotomolded rock



Rocky Mountain Pass | 65132

ASTM Use Zone: 25' x 18'4" | 762 cm x 559 cm
Rotomolded rock



6' Vertical Loop Climber | 67636

ASTM Use Zone: 14'3" x 13'2" | 434 cm x 401 cm




Full Loop Arch Climber | 67530

ASTM Use Zone: 14'5" x 20'7" | 439 cm x 627 cm

4' Vertical Loop Climber | 67635

ASTM Use Zone: 14'3" x 13'3" | 434 cm x 404 cm



'S' Loop Horizontal Ladder | 67529

ASTM Use Zone: 21'11" x 25'9" | 668 cm x 785 cm



Horizontal Ladder | 67531

ASTM Use Zone: 14'5" x 24'3" | 439 cm x 739 cm



Twisted Climber | 67944

ASTM Use Zone: 15'5" x 21'5" | 470 cm x 653 cm

Independent Climbing



Silo Climber | 67508
ASTM Use Zone: 16'9" x 16'9" | 511 cm x 511 cm



Climb-A-Round | 67501
ASTM Use Zone: 20'6" x 18'6" | 625 cm x 564 cm



Tree Climber | 67638
ASTM Use Zone: 14'3" x 14'6" | 434 cm x 442 cm




Geo Dome Climber | 67542
ASTM Use Zone: 19'10" x 19'7" | 605 cm x 597 cm



Half Dome | 67541
ASTM Use Zone: 28'10" x 28' | 879 cm x 853 cm



Fire Station Climber | 67516
ASTM Use Zone: 25'3" x 25'3" | 770 cm x 770 cm



TriClimb | 67507
ASTM Use Zone: 24'5" x 26'4" | 744 cm x 803 cm



6' Crescent Climber | 67543
ASTM Use Zone: 14'1" x 24'6" | 429 cm x 747 cm



Double Camel Climber | 67546
ASTM Use Zone: 14'1" x 27'10" | 429 cm x 848 cm



Quad Camel Climber | 67545
ASTM Use Zone: 27'8" x 27'8" | 843 x 843 cm



Triple Climbing Wall with Ring | 67722
ASTM Use Zone: 18'5" x 17'7" | 561 cm x 536 cm



4 Way Arch Climber | 67523
ASTM Use Zone: 20'11" x 20'11" | 638 cm x 638 cm


Freestanding Ground Level Activities



Curved Balance Beam | 67643



Double Crawl Tunnel | 67910



Curved Crawl Tunnel | 67911



Single Worm Crawl Tunnel | 67913



Patter Path | 67500

Model	Description	ASTM Use Zone	
67933	Strata-Balance Beam	21'10" x 14'6"	666 cm x 442 cm
67643	Curved Balance Beam	24'3 x 14'	739 cm x 427 cm
67644	Straight Balance Beam (not shown)	29' x 20'	884 cm x 610 cm
67645	Triple Balance Beam (not shown)	29' x 20'	884 cm x 610 cm
67500	Patter Path	19.5' x 14'	592 cm x 427 cm
65130	Leaf Hop	14'10" x 19'7"	452 cm x 597 cm
67910	Double Crawl Tunnel	14'10" x 20'2"	452 cm x 614 cm
67911	Curved Crawl Tunnel	15'5" x 15'6"	470 cm x 472 cm
67912	Single Crawl Tunnel (not shown)	14'10" x 16'1"	452 cm x 490 cm
67913	Single Worm Crawl Tunnel	14'10" x 20'10"	452 cm x 635 cm



Leaf Hop | 65130



Strata-Balance Beam | 67933



67994 | Climb and Discover Cave

Large cave design and peek-through openings on both sides and ends of climber allow for maximum access and supervision. Four molded-in seating areas provide cozy semi-private spaces and areas for social interaction. Inside of cave is completely clear of support obstructions for active play. Made from premium UV-Stabilized rotationally molded plastic with an extra thick double-wall design for durability. Two professional handhold package options are available. Letters and numbers – ideal for early childhood letter and number recognition. Standard Handholds – for a traditional rock climbing experience. Traditional inground playground mounting system is included.

Plastic color options:

Brown	Beige	Yellow	Spring Green	Green
Royal Purple	Blue	Sky Blue	Orange	Red

*Slight color variations may occur during the molding process



Letter & Number Handholds Playful Color Palette

Model	Description	Ages	Fall Height	ASTM Use Zone
67997	Climb and Discover Cave (Standard) Natural	2-5 or 5-12	4' (122 cm)	20' x 21' 610 cm x 640 cm
67994	Climb and Discover Cave (Letter & Number) Playful	2-5 or 5-12	4' (122 cm)	20' x 21' 610 cm x 640 cm
65133	Hideaway Clubhouse	2-5	5' (153 cm)	21' x 18' 3" 640 cm x 556 cm



65133 | Hideaway Clubhouse

The Hideaway Clubhouse is a great free-standing event for younger children. Imaginative “playhouse” has climbing and movement activities.



Tree Slices



Stepping Boulders



Log Bench



Stepping Turtles



Half Log Beam



Tree Stumps



Log Tunnel

Constructed of Glass Fiber Reinforced Concrete (GFRC), NatureROCKS® Climbing Boulders are artfully inspired from real rock out-croppings and hand-painted to look and feel like natural stone.

Model	Description	Capacity	Space Required	Ages
5TSL	Tree Slices (Includes 2 small and 3 large steps)	5	13'9" x 21'7" 419 cm x 658 cm	2-5 or 5-12
UP501	Stepping Boulders (Includes 2 small and 1 large Boulder)	3	13'11" x 20'0" 424 cm x 610 cm	5-12
3SB	Stepping Boulders (Includes 3 small Boulders) (not shown)	3	13'11" x 20'0" 424 cm x 610 cm	2-5
4LB	4' Log Bench	3-4	4'0" x 2'0" 122 cm x 61 cm	N/A
6LB	6' Log Bench (not shown)	5-6	6'0" x 2'0" 183 cm x 61 cm	N/A
8FT	8' Fallen Tree Balance Beam (not shown)	5-6	13'3" x 20'1" 404 cm x 612 cm	N/A
4HL	4' Half Log Beam (not shown)	3-4	16'0" x 14'0" 488 cm x 427 cm	2-5 or 5-12
6HL	6' Half Log Beam	5-6	18'0" x 14'0" 550 cm x 427 cm	2-5 or 5-12
UP500	Tree Stumps (Includes 1 small, 1 medium, and 1 large Stump) (not shown)	3	19'0" x 13'4" 579 cm x 406 cm	5-12
3TST	Tree Stumps (Includes 2 small and 1 medium Stump)	3	18'8" x 13'4" 569 cm x 406 cm	2-5
4LT	4' Log Tunnel	4-5	15'5" x 15'8" 470 cm x 478 cm	2-5 or 5-12
6LT	6' Log Tunnel (not shown)	6-8	18'0" x 15'4" 550 cm x 467 cm	2-5 or 5-12
5ST	Stepping Turtles	5	13'0" x 10'0" 396 cm x 305 cm	2-5 or 5-12



Medium NatureROCKS™ Granite Boulder | GRN-MD



Medium/Large NatureROCKS™ Sandstone Boulder

Medium Sandstone Boulder | SND-MD
Large Sandstone Boulder | SND-LG



Small Sandstone Boulder | SND-SM



Small Granite Boulder | GRN-SM



Large Granite Boulder | GRN-LG



Netted Boulders configurations available.
Call UltraPlay for more information about Netted Boulder Configurations

Contact UltraPlay for a quote

Add creative, themed elements to the play space to spark children's imaginations. These fun GFRP events can be added to your landscape to accent your play space. Molded from glass fiber reinforced polymer, these whimsical play events will provide years of enjoyment.

Available from
playandpark.com



Frog and Snail

This playful Frog's tongue extends several feet, creating a natural bridge that will hold up to 3 children!



Bridge Wood with Berm



Softshell Turtle



Jaguar on Rocks



Mushroom Fun



Campfire



Cave with Dragon



Snake Tunnel Fun

*Contact your recreation consultant for more information about these themed products, pricing, and to view additional options.



5-12

Freestanding Tire Swing

Our rotationally molded Tire Swing features a super-strong galvanized steel ring, providing superior support for this lightweight Tire Swing alternative.



5-12

5" (13 cm) O.D. Arch Tire Swing

Model	Description	Beam Ht./Top Rail	ASTM Use Zone
67567	Single Bay	8' high, 5" O.D.	20' 6" x 26' 11" 625 cm x 820 cm
67652	Add-A-Bay	8' high, 5" O.D.	20' 6" x 14' 5" 625 cm x 439 cm



5-12

67947 | 5" (13 cm) O.D. Oval Swing

Beam Ht./Top Rail: 8' high, 5" O.D.

ASTM Use Zone: 28' x 23' 7" | 853 x 286 cm



3-1/2" O.D. Arch Swings

Model	Description	Beam Ht./Top Rail	ASTM Use Zone
68034	Single Bay	8' (244 cm) high, 3-1/2" (9 cm) O.D.	32' x 24' 10" 975 cm x 757 cm
68035	Add-A-Bay	8' (244 cm) high, 3-1/2" (9 cm) O.D.	32' x 12' 5" 975 cm x 378 cm

Swing Seats Not Included

See pages 159-160 for a complete listing of Swing Seat packages.



5-12

67948 | 5" (13 cm) O.D. Oval Swing Double

Beam Ht./Top Rail: 8' high, 5" O.D.

ASTM Use Zone: 28' x 34' 8" | 853 x 1056 cm



5" O.D. Arch Swings

Model	Description	Beam Ht./Top Rail	ASTM Use Zone
68036	Single Bay	8' (244 cm) high, 5" (13 cm) O.D.	32' x 24' 10" 975 cm x 757 cm
68037	Add-A-Bay	8' (244 cm) high, 5" (13 cm) O.D.	32' x 12' 3" 975 cm x 373 cm

Contact your sales consultant for swing age appropriateness.



68026 Standard Tripod Swing

Shown with 2 Strap Seats sold separately

Standard Tripod Swing Configurations

Standard Tripod Swing configurations have 2-3/8" (6 cm) O.D. top rails and 2-3/8" (6 cm) O.D. support legs. Our swing frames feature a unique design that allows the addition of an Add-a-Bay unit without changing the swing casting.

Freestanding

Model	Frame	Beam Ht.	ASTM Use Zone
68026	Galvanized	8' (244 cm)	32'9" x 31' 998 cm x 945 cm
P68026	Painted	8' (244 cm)	32'9" x 31' 998 cm x 945 cm
68027	Galvanized	10' (305 cm)	34'7" x 39' 1054 cm x 1189 cm
P68027	Painted	10' (305 cm)	34'7" x 39' 1054 cm x 1189 cm

Add-A-Bay

68028	Galvanized	8' (244 cm)	Use zones depend on number of bays added
P68028	Painted	8' (244 cm)	
68029	Galvanized	10' (305 cm)	
P68029	Painted	10' (305 cm)	



Heavy Duty Tripod Swing Configurations

Heavy Duty Tripod Swing configurations have 3-1/2" (9 cm) O.D. top rails and 2-3/8" (6 cm) O.D. support legs. Please note that Swing Seat packages are sold separately, see pages 142-143.

Freestanding

Model	Frame	Beam Height	ASTM Use Zone
68030	Galvanized	8' (244 cm)	32'8" x 31' 996 cm x 945 cm
P68030	Painted	8' (244 cm)	32'8" x 31' 996 cm x 945 cm
68031	Galvanized	10' (305 cm)	34'6" x 39' 1052 cm x 1189 cm
P68031	Painted	10' (305 cm)	34'6" x 39' 1052 cm x 1189 cm

Add-A-Bay

68032	Galvanized	8' (244 cm)	Use zones depend on number of bays added
P68032	Painted	8' (244 cm)	
68033	Galvanized	10' (305 cm)	
P68033	Painted	10' (305 cm)	



Single Post Swings (5" (13 cm) Upright Post)

Model	Beam Ht./Top Rail	ASTM Use Zone
67560	8' (244 cm) high, 3-1/2" (9 cm) O.D.	32'3"x24'11" 983 cm x 759 cm
67561	8' (244 cm) high, 3-1/2" (9 cm) O.D.	32'3" x 37'4" 983 cm x 1138 cm



Ask about our Anti-Wrap Swing Hangers! Ideal for public parks.



3-1/2" (9 cm) O.D. T-Swings

Model	Beam Ht./Top Rail	ASTM Use Zone
67557	8' (244 cm) high, 3-1/2" (9 cm) O.D.	32'3" x 23' 983 cm x 701 cm



2-5 Made-for-Me Seat Chair brace is available in beige or yellow. One of the only full-support seats that's age and size specific.



5-12 Made-for-Me Seat Chair brace is available in beige or yellow



One-for-All Swing Seat. Restraint not included.

Seat Restraint

Seat Restraint is made from nylon straps and includes a buckle on one end.

Model	Description
67744	One-for-All

Made-for-Me Swing Seat Packages

Children come in all shapes and abilities, which is why we designed the Made-for-Me Swing Seat in two different sizes. Small for ages 2-5 and Large for ages 5-12.

Made-for-Me* Swing Seats for 5" (13 cm) O.D. Top Rails

Model	Description	Ages	Chain	Top Rail
67854	Made-for-Me	5-12	galvanized	8' (244 cm)
S67854	Made-for-Me	5-12	stainless	8' (244 cm)
67859	Made-for-Me	2-5	galvanized	8' (244 cm)
S67859	Made-for-Me	2-5	stainless	8' (244 cm)

Made-for-Me* Swing Seats for 3-1/2" (9 cm) O.D. Top Rails

Model	Description	Ages	Chain	Top Rail	3-1/2" (9 cm) O.D. Arch	Single Post	Heavy Duty Tripod
67855	Made-for-Me	5-12	galvanized	8' (244 cm)	•	•	•
S67855	Made-for-Me	5-12	stainless	8' (244 cm)	•	•	•
67860	Made-for-Me	2-5	galvanized	8' (244 cm)	•	•	•
S67860	Made-for-Me	2-5	stainless	8' (244 cm)	•	•	•
67856	Made-for-Me	5-12	galvanized	10' (305 cm)	•	•	•
S67856	Made-for-Me	5-12	stainless	10' (305 cm)	•	•	•

Made-for-Me* Swing Seats for 2-3/8" (6 cm) O.D. Top Rails

Model	Description	Ages	Chain	Top Rail	Standard Tripod
67857	Made-for-Me	5-12	galvanized	8' (244 cm)	•
S67857	Made-for-Me	5-12	stainless	8' (244 cm)	•
67861	Made-for-Me	2-5	galvanized	8' (244 cm)	•
S67861	Made-for-Me	2-5	stainless	8' (244 cm)	•
67858	Made-for-Me	5-12	galvanized	10' (305 cm)	•
S67858	Made-for-Me	5-12	stainless	10' (305 cm)	•

* Model numbers are for seats with yellow braces, beige braces are available upon request.

One-for-All Swing Seat Packages

One-for-All Seats offer another option for extra stability for children with disabilities. Seat Restraint available separately.

One-for-All Swing Seats for 5" (13 cm) O.D. Top Rails

Model	Description	Chain	Top Rail
67731	One-for-All	uncoated	8' (244 cm)
SS7731	One-for-All	stainless	8' (244 cm)


One-for-All Swing Seats for 3-1/2" (9 cm) O.D. Top Rails

Model	Description	Chain	Top Rail	3-1/2" (9 cm) O.D. Arch	Single Post	Heavy Duty Tripod
67734	One-for-All	uncoated	8' (244 cm)	•	•	•
SS7734	One-for-All	stainless	8' (244 cm)	•	•	•

One-for-All Swing Seats for 2-3/8" (6 cm) O.D. Top Rails

Model	Description	Chain	Top Rail	Standard Tripod
67737	One-for-All	uncoated	8' (244 cm)	•
SS7737	One-for-All	stainless	8' (244 cm)	•

Swing Seat Packages



S-Hook Attachment Clevis Attachment



S-Hook Pliers | 4248
Easily allows you to close "S" hooks completely after installation

Clevis Attachments Swing Seats for 5" (13 cm) O.D. Top Rails

Model	Description	Chain	Top Rail	5" O.D. Arch
67611	Tot Seat	coated	8' (244 cm)	•
67592	Tot Seat	uncoated	8' (244 cm)	•
SS7592	Tot Seat	stainless	8' (244 cm)	•
67617	Strap Seat	coated	8' (244 cm)	•
67598	Strap Seat	uncoated	8' (244 cm)	•
SS7598	Strap Seat	stainless	8' (244 cm)	•

S-Hook Attachments Swing Seats for 3-1/2" (9 cm) O.D. Top Rails

Model	Description	Chain	Top Rail	3-1/2" O.D. Arch	Single Post	T-Swing	Heavy Duty Tripod
67602	Tot Seat	coated	8' (244 cm)	•	•	•	•
67583	Tot Seat	uncoated	8' (244 cm)	•	•	•	•
SS7583	Tot Seat	stainless	8' (244 cm)	•	•	•	•
67606	Strap Seat	coated	8' (244 cm)	•	•	•	•
67587	Strap Seat	uncoated	8' (244 cm)	•	•	•	•
SS7587	Strap Seat	stainless	8' (244 cm)	•	•	•	•
67608	Strap Seat	coated	10' (305 cm)	•			•
67587	Strap Seat	uncoated	10' (305 cm)	•			•
SS7587	Strap Seat	stainless	10' (305 cm)	•			•

Clevis Attachments Swing Seats for 3-1/2" (9 cm) O.D. Top Rails

Model	Description	Chain	Top Rail	3-1/2" O.D. Arch	Single Post	T-Swing	Heavy Duty Tripod
67610	Tot Seat	coated	8' (244 cm)	•	•	•	•
67591	Tot Seat	uncoated	8' (244 cm)	•	•	•	•
SS7591	Tot Seat	stainless	8' (244 cm)	•	•	•	•
67616	Strap Seat	coated	8' (244 cm)	•	•	•	•
67597	Strap Seat	uncoated	8' (244 cm)	•	•	•	•
SS7597	Strap Seat	stainless	8' (244 cm)	•	•	•	•
67619	Strap Seat	coated	10' (305 cm)	•			•
67600	Strap Seat	uncoated	10' (305 cm)	•			•
SS7600	Strap Seat	stainless	10' (305 cm)	•			•

S-Hook Attachments Swing Seats for 2-3/8" (6 cm) O.D. Top Rails

Model	Description	Chain	Top Rail	Standard Tripod
67601	Tot Seat	coated	8' (244 cm)	•
67582	Tot Seat	uncoated	8' (244 cm)	•
SS7582	Tot Seat	stainless	8' (244 cm)	•
67605	Strap Seat	coated	8' (244 cm)	•
67586	Strap Seat	uncoated	8' (244 cm)	•
SS7586	Strap Seat	stainless	8' (244 cm)	•
67607	Strap Seat	coated	10' (305 cm)	•
67586	Strap Seat	uncoated	10' (305 cm)	•
SS7586	Strap Seat	stainless	10' (305 cm)	•

Clevis Attachments Swing Seats for 2-3/8" (6 cm) O.D. Top Rails

Model	Description	Chain	Top Rail	Std Tripod
67609	Tot Seat	coated	8' (244 cm)	•
67590	Tot Seat	uncoated	8' (244 cm)	•
SS7590	Tot Seat	stainless	8' (244 cm)	•
67615	Strap Seat	coated	8' (244 cm)	•
67596	Strap Seat	uncoated	8' (244 cm)	•
SS7596	Strap Seat	stainless	8' (244 cm)	•
67618	Strap Seat	coated	10' (305 cm)	•
67599	Strap Seat	uncoated	10' (305 cm)	•
SS7599	Strap Seat	stainless	10' (305 cm)	•



5-12

67615 | Strap Seat
w/coated chain & clevis
All Strap Seats are Dark Green



2-5

67590 | Fully Enclosed Tot Seat
with clevis
All Fully Enclosed Tot Seats are Dark Green



2-5 5-12

67731 | One-for-All Seat uncoated
Available in all 12 solid rotomold colors

Swing Seats

With Clevis

(does not include chains or hangers)

Model	Description
67549	Strap Seat
67553	Enclosed Tot Seat

With S-hook

(does not include chains or hangers)

Model	Description
67548	Strap Seat
67552	Enclosed Tot Seat

Quick Pick Swing Configurations



These Quick Pick Swing Configurations take our most popular swing packages and bundle them up for easy ordering.

Model	Description
68186	3 1/2" arch, 1 bay, belt seats, galvanized chain w/ clevis
68187	3 1/2" arch, 2 bay, belt seats, galvanized chain w/ clevis
68188	3 1/2" arch, 1 bay, tot seats, galvanized chain w/ clevis (Shown)
68189	3 1/2" arch, 2 bay, tot seats, galvanized chain w/ clevis
68190	3 1/2" arch, 2 bay, 1 bay belts, 1 bay tots, galvanized chain w/ clevis



Model	Description
68181	Single post, 1 bay, belt seats, galvanized chain w/ clevis (Shown)
68182	Single post, 2 bay, belt seats, galvanized chain w/ clevis
68183	Single post, 1 bay, tot seats, galvanized chain w/ clevis
68184	Single post, 2 bay, tot seats, galvanized chain w/ clevis
68185	Single post, 2 bay, 1 bay belts, 1 bay tots, galvanized chain w/ clevis



Model	Description
68191	5" arch, 1 bay, belt seats, galvanized chain w/ clevis (Shown)
68192	5" arch, 2 bay, belt seats, galvanized chain w/ clevis
68193	5" arch, 1 bay, tot seats, galvanized chain w/ clevis
68194	5" arch, 2 bay, tot seats, galvanized chain w/ clevis
68195	5" arch, 2 bay, 1 bay belts, 1 bay tots, galvanized chain w/ clevis



Wear Mats

Wear Mats are a great addition to surfacing in high traffic areas to protect critical safety surfacing from displacement and non-compliance

Medium Duty: 209426 Heavy Duty: 161292

	Medium Duty	Heavy Duty
Item Number	209426	161292
Size	36" x 36" x 3/4"	44" x 48" x 1"
Weight (lbs.)	29.9	60.0



ActionFit equipment is available in 3 different design options, providing multiple solutions for each unique venue.

Traditional

Budget friendly multipurpose fitness equipment.

FitTech

Ideal modern design, when form and function matter. Includes ADA options.

Active Adult Fitness

Comfortable outdoor fitness solution for the active aging population.

Developed in partnership with PlayCore and the University of Tennessee at Chattanooga

Traditional



Bench Dip | UP253 ASTM Use Zone: 11'1" x 15'7"

The Traditional line provides multipurpose stationary fitness equipment for the budget-conscious purchaser. Most products are versatile and can be used for multiple exercises. Users can continually change their routines, enabling a fresh approach to fitness at every visit to the outdoor fitness park. Most importantly visitors to your site will have a designated fitness solution, deterring them from misusing benches, planters, and other site amenities as fitness equipment.



T-Bar | UP256 ASTM Use Zone: 10'5" x 14'3"



Hurdle | UP265 ASTM Use Zone: 16'2" x 19'2"



Push Up Bar | UP255
ASTM Use Zone: 18'1" x 13'3"
Meets ASTM F3101-15. Ask your rep about surfacing.



Vault Bar | UP258
ASTM Use Zone: 12'0" x 15'5"



Sit Up Bench | UP254
ASTM Use Zone: 8'8" x 13'10"



Log Hop | UP250 ASTM Use Zone: 12'11" x 12'11"



Horizontal Chin-Up | UP259
ASTM Use Zone: 14'0" x 9'9"



High Jump | UP252
ASTM Use Zone: 9'2" x 14'9"



Knee Lift | UP257
ASTM Use Zone: 12'7" x 7'6"



Step Up | UP264
ASTM Use Zone: 11'7" x 13'1"



Joint Use Pull Up | UP261
ASTM Use Zone: 16'10" x 9'0"

The ActionFit System

aids in the development of cardiovascular conditioning, muscle tone, and flexibility, for users ages 13 and up, resulting in the overall improvement and maintenance of participants' fitness levels.

Available in your choice of powder coatings. See page 177 for color options.



Parallel Bars | UP263
ASTM Use Zone: 16'0" x 8'8"



Balance Beam | UP251
ASTM Use Zone: 19'0" x 9'0"



Body Curl | UP262
ASTM Use Zone: 9'0" x 13'10"



FitTech

The FitTech line offers an intense design solution for high use areas where form and function matter. Users will appreciate the state-of-the-art function of the magnetic resistance bearings in cycling equipment, which ensure smooth gliding pedal rotation and dynamic resistance that emulates the experience of riding a bicycle. Similarly, strength equipment features a rubber spring resistance which provides durable, long-wearing resistance for users of various skill levels.



Exercise While You Supervise™

Want to get some exercise while your children are playing on the playground? These ActionFit stations are the solution. Adults can exercise while staying in one place and continue supervising. By incorporating these pieces into your recreation area, you create an active multi-generational environment.

FitTech Features:

- Steel construction with rust resistant coating
- Heavy-duty, weather and vandal resistant housings
- Solid metal foot pedals
- Slip resistant standing surfaces
- Marine-grade plastics
- Rubber spring resistance creates a higher level fitness experience for the user
- Magnetic resistance ensures smooth pedal rotation
- Modern design enhances the landscape
- Equipment for every ability

Colors available as shown.



Elliptical | UP171
ASTM Use Zone: 9'0" x 11'3"



Hand Cycle | UP162
ASTM Use Zone: 7'10" x 9'3"



Upright Cycle | UP161
ASTM Use Zone: 7'12" x 8'7"



Lat Pull Down | UP165
ASTM Use Zone: 9'6" x 10'5"



Chin-Up | UP185
ASTM Use Zone: 10'3" x 7'8"



Cardio Walker | UP164
ASTM Use Zone: 9' 7" x 11' 6"



6" Plyometric Box | UP174
*Ask about additional heights available
ASTM Use Zone: 10'11" x 10'11"

Colors available as shown.



Balance Board | UP177
ASTM Use Zone: 10'5" x 14'5"



Push-up | UP184
ASTM Use Zone: 10'3" x 14'2"



Leg Press | UP170
ASTM Use Zone: 9'0" x 10'11"



Captain's Chair | UP167
ASTM Use Zone: 8'6" x 10'6"



Chest Press | UP166
3 Mounting options available: Surface Mount, Inground, and J-Bolt.
ASTM Use Zone: 9'7" x 10'7"



Balance Plank | UP176
ASTM Use Zone: 12'11" x 9'6"



Sit-up/Back Extension | UP168
ASTM Use Zone: 10'8" x 13'3"



Chest Press (Accessible) | UP179
ASTM Use Zone: 10'0" x 14'8"



Shoulder Rotator (Accessible) | UP191
ASTM Use Zone: 10'3" x 14'7"



Hand Cycle (Accessible) | UP190
ASTM Use Zone: 9'0" x 11'5"



Vertical Press (Accessible) | UP182
ASTM Use Zone: 10'1" x 14'8"



Lat-Pull Down (Accessible) | UP180
ASTM Use Zone: 10'0" x 14'8"



Active Adult Fitness approaches fitness in the eyes of those who wish to maintain their everyday activities and enjoy the outdoors at the same time. The unique features of the Active Adult line recognize the importance of hand holds, seating and stepping surfaces that provide added stability for peace of mind and reduced risk of falls.



Energy & Strength Wheels | UP191 
ASTM Use Zone: 10'3" x 11'1"




Confidence Builders
Our handrails and support bars feature a textured hand grip for added support to help build confidence.



Comfort Seat
Seated equipment features a wide seat, hand grips and extra padding for comfort and support.



Skill Trainer | UP354 
ASTM Use Zone: 13'2" x 13'8"



Assisted Step Around | UP355
ASTM Use Zone: 12'11" x 12'11"



Upper-Body Cycle w/Comfort Seat | UP361
ASTM Use Zone: 8'2" x 9'10"

Accessible Upper-Body Cycle | UP362 
ASTM Use Zone: 8'2" x 9'6"



Assisted Functional Trainer | UP351 
ASTM Use Zone: 15'3" x 10'11"



Assisted Leg Press | UP356
ASTM Use Zone: 9'0" x 11'9"



Finger Walk



Ring Trace



To show our commitment to the Active Aging population, UltraSite has proudly partnered with the International Council on Active Aging and will continue to stay current with research and developments through ICAA.



Request it now!

PlayCore's best practice guidebook, *Outdoor Fitness Parks: Best Practices for Promoting Community Health by Increasing Physical Activity*, is helpful for creating a fitness space that promotes healthy solutions in your community.

Request your FREE copy at ActionFitOutdoors.com/contactus

Show your commitment to your community. Ask us how your outdoor fitness park can become a National Demonstration Site!



Dual ADA Chest Press | UP357 

ASTM Use Zone: 7'10" x 9'3"
Colors available as shown.



Assisted Recumbent Cycle | UP359

ASTM Use Zone: 8'3" x 11'1"



Assisted Double Cycle | UP360

Available without bench.
*Bench sold separately
ASTM Use Zone: 13'4" x 11'1"



Assisted Step Trainer | UP353

ASTM Use Zone: 15'2" x 9'6"



Assisted Balance Walk | UP352

ASTM Use Zone: 15'2" x 9'6"





6' Preschool Table | SF-172

- Preschool Table includes 1-5/8" galvanized tube frames with 1-1/16" galvanized tube diagonal braces.
- Coated Punched Steel

SF-170 46"
SF-171 46" ADA



Coated Punched Steel Benches

	Bench (with 10" wide seat & backrest)	Seat (without back)	Music Bench
6' In-ground	SF-126	SF-163	SF-326
6' Portable	SF-127	SF-164	SF-327
6' Surface mount	SF-128	SF-165	SF-328
8' In-ground	SF-129	SF-132	-
8' Portable	SF-130	SF-133	-
8' Surface mount	SF-131	SF-134	-

- Heavy-duty 2-3/8" galvanized tube frames with 1-1/16" galvanized tube horizontal brace and 1/8" thick steel attachment straps are included with seats and benches.
- Expansion anchor bolts are included with surface mount seats and benches.



6' Buddy Bench | 940-P6-BB

2 3/8" O.D. MIG welded frame. Available in 6' and 8' lengths. Seat available in Diamond (V) or Perforated (P) pattern.



In-ground Single Pedestal Table SF-173

Single Pedestal Tables

- SF-173 46" In-ground
- SF-174 46" In-ground, ADA
- SF-175 46" Surface mount
- SF-176 46" Surface mount, ADA

- Single Pedestal Table includes heavy-duty 3/16" thick center support, 4" square post with 3" square seat supports and 2" square seat braces.
- ADA accessible Single Pedestal Table includes seats on three sides to allow wheelchair access.



46" Food Court Table SF-170

Food Court Tables

- Food Court Tables include permanent mounting holes in the frames (anchor bolts not included).
- Portable Food Court Tables include 1-5/8" galvanized tube frames with 1-1/16" galvanized tube diagonal braces.
- ADA Food Court and Single Pedestal Tables include seats on three sides to allow wheelchair access.
- Powder coated frames in choice of 22 colors.



Coated Punched Steel Tables

8' Heavy Duty ADA Table (Shown above)

Table length is extended on both sides to allow for wheelchairs.

Standard Table 1-5/8" frames (Not Shown)

Available with standard 1-5/8" galvanized tube frames with 1-1/16" galvanized tube diagonal braces and 1/8" thick attachment straps.

Heavy Duty Table

Heavy-duty picnic tables include 2-3/8" galvanized tube frames with 1/16" galvanized tube diagonal braces and 1/8" thick attachment straps.

	Heavy Duty Table	Standard Table 1-5/8" frames
6'	SF-162	SF-166
8'	SF-167	SF-169
8', ADA	SF-168	-

Create your own color combination for tables and legs from 4 Plastisol and 22 Paint Colors.



See all colors on page 177

Note: Thermoplastic Coating option available, ask your Play & Park rep for details.

Play & Park Structures

offers a variety of sports equipment to complete your park or school. Don't see something here? Ask your Play & Park representative if we have what you need. View additional items online.



Volleyball Packages

- 270SS Steel Top Net, PVC Ground Sleeves (no cap) Steel Top Net,
 - 271SS PVC Ground Sleeves (w/ cap) Rope Top Net,
 - 272SS PVC Ground Sleeves (no cap) Rope Top Net,
 - 273SS PVC Ground Sleeves (w/ cap)
 - 254SS Goal Post Directional Flags (4)
 - 347SS Fungo Protective Net, 7'
- 10' Galvanized 2-3/8" O.D. steel pole inserted 2' into ground
 - Drilled for volleyball, badminton and tennis



Soccer Goals

Elite Club - 3" Classic White Alumagoal		
142SS	8' X 24' Alumagoal	145SS 6.5' X 12' Alumagoal
143SS	7' X 21' Alumagoal	146SS 4.5' X 9' Alumagoal
144SS	6.5' X 18.5' Alumagoal	147SS 4' X 6' Alumagoal

Ground Anchors and 3mm white nets included. Elite Club Goals are also available in aluminum.



Gooseneck Football Goalposts

- 250SS High School, White
- 251SS High School, Yellow
- 252SS Collegiate, White
- 253SS Collegiate, Yellow
- 255SS Ground Sleeves
- 254SS Goal Post Directional Flags (4)
- 347SS Fungo Protective Net, 7'

Permanent or semi-permanent, single post slingshot design meets all NFHS specs. Goal measures 30'H with 5' offset. Heavy duty 4-1/2" galvanized steel gooseneck. 2-3/8" x 20' aluminum uprights. Includes 4 wind direction flags. All parts are powder coated in white or yellow with either 23'4" High School or 18'6" Collegiate crossbars. Optional ground sleeves are recommended and sold separately. Does not include padding.

Basketball



Gooseneck Post with Aluminum Backboard

- 194SS 4' Offset, Lifetime Rim, Alum.
- 195SS 4' Offset, Lifetime Rim, White
- 196SS 5' Offset, Lifetime Rim, Alum.
- 197SS 5' Offset, Lifetime Rim, White
- 198SS 4' Offset, Breakaway Rim, Alum.
- 199SS 4' Offset, Breakaway Rim, White
- 200SS 5' Offset, Breakaway Rim, Alum.
- 201SS 5' Offset, Breakaway Rim, White
- 202SS 4' Offset, Double Rim, Alum.
- 203SS 4' Offset, Double Rim, White
- 204SS 5' Offset, Double Rim, Alum.
- 205SS 5' Offset, Double Rim, White

Includes post, aluminum backboard, goal and net. #202SS, #203SS, #204SS, #205SS include a chain net, all others include a nylon net and hardware. Shooter's Square is on white backboard only.



Grizzly Basketball System – with Breakaway Goal Adjustable | 186SS

Includes black wraparound pole pad. Nylon net and hardware included. Adjusts from 7-1/2' to regulation 10' with ease.

Adjustable Post with Aluminum Backboard

- 189SS 4.5" OD, w/ 4' ext., Alum. Backboard
- 190SS 4.5" OD, w/ 4' ext., White Backboard
- 188SS 3.5" OD, w/ 3' ext., Alum. Backboard

Includes post, hardware, backboard, goal, and net. Shooter's Square is on white backboard only.



Baseball Packages

- 330SS L-Shaped Pitchers Protector w/ Net Collegiate Protective Nets
 - 331SS L-Shaped Pitchers Net
 - 332SS First Base/Fungo Protector w/ Net
 - 333SS First Base/Fungo Net
 - 334SS Sock Net and Frame
 - 335SS Sock Net
 - 336SS Softball Pitcher Protector w/ Net
 - 337SS Softball Pitcher Net
- Constructed of heavy-duty 1-1/2" square 17-gauge galvanized steel
 - Frames are 7'H x 7'W
 - Includes 2.5mm twisted knotted polyethylene slip-on pillow case style net
 - Legs detach for easy storage.

Ryan Express Batting Cage | 326SS

Features include: dual coaches observation platforms, 8.5"W x 18"H pneumatic tires, premium ricochet padding for all overhead frame work, heavy duty 3.5 mm weather-treated EHT netting with extra 10' x 10' baffle net, nylon reinforced 18 oz. vinyl skirt, black thud pad with grommets, and lockable dolly lift system for easy portability. Unit is constructed of 2" heavy-wall aluminum tubing. Collapses to only 5' high to limit storage requirements. Thud pad size: 68"W x 52"H x 4"D.

Dimensions: 18'W x 22'D x 12'H. Shipping Wt. 555 lbs.



Complete Your Play Environment With Shade



Square Shade

Triangle Sail Shade

Umbrella Shade

Ask your representative about the right shade option for your facility



Hip Rectangle with Green frame and Forest Green fabric.

With options of both standard shapes and custom-designed structures, your representative will guide you through a simplified process of providing the appropriate shade that helps protect your recreation investment and your youngest constituents.

Design Features:

- 1 All steel tubing and bolts meet or exceed ASTM Standards
- 2 Framework is engineered to withstand wind gusts up to 90 mph with fabric and up to 150 mph with fabric removed
- 3 Structures are free of sharp edges and corners
- 4 Galvanized aircraft-quality cable resists rust
- 5 Save time with removal and storage with quick release lever



Create an outdoor classroom with a high quality Shelter!

These commercial grade outdoor shelters provide shade and comfort for outdoor classrooms, picnic pavilions, and other areas requiring shelter from the sun and rain.



Square Hip Shelter





From Post Caps to Attenuating Pads, We are your complete play space provider!

Let a Play & Park Structures Recreation Consultant help you create the perfect play space from top to bottom. We can provide quality, safety surfacing in a variety of options to provide you with a complete and compliant space solution.

Strong Foundations — Best practice guide to playground surfacing. Request your program guide at playandpark.com

1
UNITARY RUBBER

Unitary Rubber
Solid surface formed by pouring or laying rubber material in a continuum.

2
GRASS TURF

Grass Turf
Natural looking surface option that resembles grass but meets playground attenuation standards.

3
LOOSE FILL

Loose Fill
Loose materials, such as wood fiber, used on playgrounds that shifts under foot.

Contact us about Maintenance Programs to help extend the life of your surface!

1
UNITARY RUBBER



Poured In Place (PIP) Rubber


- Superior impact absorption to meet ASTM standards
- Customizable with graphic design for added play value and visual impact
- Resilient non-skidding surface for longevity in compliance



Value ● Moderate ● Premium ●



Required Maintenance	●
Site Preparation	●
Longevity	●
Price	●



Premium Colors



Standard Colors




All colors are approximate and may vary by region.



Tile

- Choose Secure Lock Interlocking Tiles or Standard Rubber Tiles based on your site's needs
- Multiple color options for patterned design
- Custom edging and ramps available to meet accessibility requirements



Value ● Moderate ● Premium ●

Required Maintenance	●
Site Preparation	●
Longevity	●
Price	●

Pigmented Colors



EPDM Colors



All colors are approximate and may vary by region.

Standard & Interlocking Tile Available



BONDED RUBBER




Bonded Rubber

- Comprised of wire free, cleaned, recycled rubber
- Installed and troweled by hand to provide resilient, seamless appearance
- One layer system can meet most critical fall height requirements

Value ● Moderate ● Premium ●

Required Maintenance	●
Site Preparation	●
Longevity	●
Price	●



All colors are approximate and may vary by region.

2 GRASS TURF



PLAY TURF



Turf

- Look and feel of natural grass with attenuating features to meet ASTM requirements
- Features enforced lining for resilience against repeated play
- Lower maintenance than real grass, no mowing or watering required



Value ● Moderate ● Premium ●

Required Maintenance	●
Site Preparation	●
Longevity	●
Price	●

Play Turf

3
LOOSE FILL



- Easily installed without required skilled labor
- Economic option but will require more frequent maintenance for ASTM compliance

Shredded Rubber

- Durable with superb impact attenuation
- Made from clean, wire-free rubber in multiple color options

Value ● Moderate ● Premium ●

Required Maintenance ●

Site Preparation ●

Longevity ●

Price ●



Engineered Wood Fiber (EWF)

- Non-toxic and does not contain paint, chemicals, or additives
- Provides sufficient attenuation to meet minimal ASTM standards



Value ● Moderate ● Premium ●

Required Maintenance ●

Site Preparation ●

Longevity ●

Price ●

SurfaceMax
ACCESSORIES



PTAC Accessible Park Timber

Connects to Park Timbers to allow for easy access to the playground. Works with both 8" and 12" Park Timbers.
67743 | Black
67755 | Black with adapter



Park Timber

67757 | 8" height
66576 | 12" height
4' long. Black only.



Park Timber Adapter

Allows a smooth transition between different fall height requirement zones.
67637 | Left
67740 | Right



Park Timber Connector

Joins two regular timbers to create lengths to fit within any space.
67852 | 8" height
67660 - Galvanized Stake Package



NatureCurb

The log themed curb is a perfect addition to bring the look of nature to your playground. Available in 12" height only.

- 67976 Nature Curb Brown
- 67977 Nature Curb Left Brown
- 67978 Nature Curb Right Brown
- 67979 Accessible Nature Curb Brown



Rubber PlayCurbs

Flexible rubber curbs can be used as edging for a professional finish to projects. Available in Green, Brown, or Terra Cotta. Curbs are 8' long and available in 4", 6", 8", and 12" heights. Pricing available upon request.



Geotextile Fabric

This water-permeable fabric creates a barrier between loose-fill surfacing and the earth below, helping to keep surfacing in place and preventing clogging of drainage systems.

- 161291 1,225 Square foot roll, 3' wide
- 161290 2,250 Square foot roll, 6' wide



Graffiti Remover 302139

Removes graffiti from the surface of your Play & Park Structures equipment.



ASTM Testing Kit | 6101

The PlayCore Testing Kit includes all the tools to thoroughly test a playground for ASTM standards.



Geo Composite Drainage Systems

Drainage is an important part of playground design to prevent puddles and erosion. SurfaceMax drainage systems are developed specifically to prevent drainage issues on your playground.

- 161294 150' roll

Color Palettes

Choose or create your own color palette

- 1 Roto Plastic
- 2 Plastic Attachments
- 3 Uprights
- 4 Metal Accents
- 5 Decks
- 6 HDPE



Tranquility

Visit playandpark.com for more color inspirations and check out our Color Selector Tool on the Structure pages to customize colors for your project!

Design your play structure with confidence and creativity using our pre-defined collection of colors or customize your own to add a meaningful touch to your play area. Custom selections can mix-and-match any way you like.



Northwoods



Greenway

- 1 Gray
- 2 Light Green
- 3 Starlight Black
- 4 Spring Green
- 5 Brown
- 6 Green



Natural

- 1 Beige
- 2 Beige
- 3 Green
- 4 Burgundy
- 5 Brown
- 6 Beige



Inspire

- 1 Spring Green
- 2 Spring Green
- 3 Starlight Black
- 4 Starlight Black
- 5 Brown
- 6 Spring Green



Earth

- 1 Blue
- 2 Green
- 3 Beige
- 4 Blue
- 5 Red
- 6 Green



River Rock

- 1 Light Green
- 2 Gray
- 3 Butter-scotch
- 4 Champagne
- 5 Gray
- 6 Green



Energetic

- 1 Spring Green
- 2 Sky Blue
- 3 Yellow
- 4 Spring Green
- 5 Blue
- 6 Yellow

NEW!



- 1 Yellow
- 2 Red
- 3 Bronze
- 4 Bronze
- 5 Red
- 6 Red

Refresh



Cascade

- 1 Sky Blue
- 2 Night Sky Blue
- 3 Champagne
- 4 Light Green
- 5 Gray
- 6 Blue

NEW!



Spring

- 1 Yellow
- 2 Spring Green
- 3 Metallic
- 4 Orange
- 5 Blue
- 6 Spring Green



Clear Sky

- 1 Blue
- 2 Gray
- 3 Sky Blue
- 4 Orange
- 5 Gray
- 6 Gray



Adventure

- 1 Gray
- 2 Night Sky Blue
- 3 Light Green
- 4 Plum
- 5 Gray
- 6 Blue



Nation's Best

- 1 Red
- 2 Blue
- 3 White
- 4 Blue
- 5 Blue
- 6 Red



Seascape

- 1 Blue
- 2 Beige
- 3 Green
- 4 Yellow
- 5 Blue
- 6 Green



United

- 1 Blue
- 2 Blue
- 3 White
- 4 Red
- 5 Red
- 6 Blue



Basics

- 1 Blue
- 2 Blue
- 3 Red
- 4 Yellow
- 5 Blue
- 6 Yellow



Limelight

- 1 Blue
- 2 Yellow
- 3 Spring Green
- 4 Spring Green
- 5 Blue
- 6 Blue



Spirited

- 1 Red
- 2 Yellow
- 3 Sky Blue
- 4 Spring Green
- 5 Red
- 6 Red



Cheers

- 1 Royal Purple
- 2 Gray
- 3 Champagne
- 4 Orange
- 5 Gray
- 6 Gray

Options

playandpark.com | 800.727.1907

Limited Lifetime Warranty

Limited lifetime warranty on all Play & Park Structures posts, clamps, post caps, and hardware.

15 Year Limited Warranty

15-Year limited warranty on SuperMax, DuraMax, totmax, Skyline, Early Horizons, rotomolded plastic components, decks, pipes, rails, loops, and rungs.

10 Year Limited Warranty

10-Year limited warranty on shade products, fiberglass signage, pressure treated pine, and redwood products utilized in site furnishings.

5 Year Limited Warranty

5-Year limited warranty on , HDPE panels, swing strap seats, tot seats, and nylon-covered cable net climbers and components.

3 Year Limited Warranty

3-Year limited warranty on spring bouncer C-type springs.

1 Year Limited Warranty

1-Year limited warranty on spring bouncer coil springs and all other Play & Park Structures products including moving parts.

Terms & Conditions

TO THE EXTENT PERMITTED BY LAW, THESE WARRANTIES ARE EXPRESSLY IN LIEU OF ANY OTHER IMPLIED OR EXPRESSED WARRANTIES OR REPRESENTATIONS BY ANY PERSON, INCLUDING AN IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS. Warranties do not cover damage caused by vandalism or abuse. Warranty claims must be filed within the applicable warranty period and accompanied by a copy of the original invoice or Play & Park Structures invoice number.

Play & Park Policies

Specifications: Specifications were current at the time of publication. Play & Park Structures has an ongoing policy of product improvement and therefore reserves the right to modify specifications or discontinue products without notice.

Terms of Sale: To governmental agencies and tax supported institutions, and those with approved credit, payment is due within 30 days from the date of invoice. A 1.5% per month finance charge will be imposed on all past due accounts. We also accept payment by VISA, MasterCard or American Express. All other orders will require a 50% deposit at the time of order entry. The balance will be due with a certified check upon receipt of shipment (C.O.D.).

Prices: Prices are F.O.B. factory and do not include freight charges. All prices listed were current at the time of publication and quoted in U.S. Funds. Due to the abnormally high cost of fuel and its impact on many of the materials used in our industry, quotations are valid for 30 days only and prices may be subject to material and fuel surcharges at the time of shipment. Prices are subject to change without notice. Current prices will apply at the time of shipment.

Freight charges: Freight charges are determined and collected by the carrier unless Play & Park Structures is requested and agrees to prepay and add these costs to the invoice.

Taxes: If applicable, taxes will be added to the invoice except when a tax-exempt certificate is provided with the purchase order at the time of order entry.

Minimum Order: Our minimum order is US \$50.00.

Order Cancellation: Once accepted, orders can be canceled only with the consent of Play & Park Structures, and on terms which will indemnify Play & Park Structures against loss. Canceled orders will be subject to a restocking fee. Equipment "built-to-order" is non-cancelable.

Domestic Shipments: Unless specifically given routing instructions on the purchase order, shipment will be made via the carrier we consider to be the most economical and practical in reaching the final destination. All domestic shipments are governed by ICC Regulations.

Delays in Transit: Play & Park Structures is not responsible for delays in transit and such delays shall not alter our invoicing terms. If your order does not reach you within a reasonable time after being advised that shipment went forward from our plant, Play & Park Structures will assist in the tracking process.

Loss or Damage in Transit: Play & Park Structures is not responsible for loss or damage in transit. When we release the material to the carrier, a bill of lading is signed which states that the shipment was received from us complete and in good condition. A copy of this bill of lading is forwarded to you with the shipment and should be checked carefully with the materials you received. Any shortage, discrepancy or damage must be noted on the delivery receipt and signed by the carriers' representative. Failure to note acceptations on the delivery receipt may impair your right to recovery from the carrier.

Weights: All published weights are estimated and include appropriate packing materials. Actual weights may vary slightly.

Pricing valid on orders received prior to November 30, 2018; orders must be shipped within 30 days.

*For the purpose of this warranty, lifetime encompasses no specific term of years, but rather that Seller warrants to its original customer for as long as the original customer owns the Product and uses the Product for its intended purpose that the Product and all parts will be free from defects in material and manufacturing workmanship.

PARTNERSHIP STANDARDS & ORGANIZATIONS

CPSC

The Consumer Product Safety Commission is an independent agency within the United States Federal Government with the authority to inform the public of current product safety performance information and recommended practices. The CPSC first published their guidelines for public playgrounds in 1981 and have updated their publication several times since then. The current CPSC Handbook for Public Playground Safety, publication #325, is an excellent guide for owners and operators of public play environments.

U.S. Consumer Product Safety Commission
Washington, DC 20207
Website: www.cpsc.gov
E-mail: info@cpsc.gov

Flo-Coat® Galvanized Steel Tubing

Galvanizing provides electrochemical protection to steel, in addition to forming a protective barrier. Allied's unique triple layer Flo-Coat galvanizing process goes even a step further by adding a conversion coating to passivate the zinc, and a clear polymer topcoat that reduces the general corrosion rate of the zinc. This synergy between the coatings allows the zinc to be more effective in protecting uncoated edges.



ISO 14001

We are proud to be ISO14001 certified for our manufacturing facility in Fort Payne, Alabama. Also referred to as the "Green Certification," ISO14001 is an internationally recognized standard for environmental management, measurement, evaluation and auditing. As an ISO14001 certified company, Play & Park controls the environmental impact of our activities, products, and services by implementing an Environmental Management System (EMS) that meets international standards, but is specific to the play products being produced.

ISO 9001

An industry certification process issued by the International Organization for Standardization. It is used to measure manufacturing standards and to certify company compliance with quality control systems covering design, development, production, installation, inspection and testing.

DOJ 2010 Standard for Accessible Design

Access Board (The United States Architectural and Transportation Barriers Compliance Board) has completed Accessibility Guidelines for Play Facilities as set forth in the Americans with Disabilities Act of 1990. The Final rules, fact sheets and analysis are all available at the Department of Justice.

Access Board
1331 F Street, NW, Washington, DC 20004-1111

Website: www.access-board.gov
E-mail: ta@access-board.gov

US Department of Justice:
www.ada.gov

ASTM International

ASTM International is an independent and world renowned developer of technical standards utilized in testing a multitude of products. ASTM's F15.29 committee met regularly for over a decade in the continual development of the F1487 Standard Consumer Safety Performance Specifications for Playground Equipment for Public Use. Throughout this catalog we state ASTM Use Zones in dimensional form per the ASTM F1487 Standard Consumer Safety Performance Specifications for Playground Equipment for Public Use, which are minimum dimensions.

Consideration should be given to the number of users and their circulation patterns.

ASTM International
100 Barr Harbor Drive, PO Box C700
West Conshohocken, PA 19428-2959
Website: www.astm.org
E-mail: service@astm.org

IPEMA

In the interest of public playground safety, the International Playground Equipment Manufacturer's Association (IPEMA) provides a Third Party Certification Service whereby a designated independent laboratory, TUV America, Inc., validates an equipment manufacturer's certification of conformance to ASTM F1487, Standard Consumer Safety Performance Specification for Playground Equipment for Public Use, except sections 7.1.1, 10 & 12.6.1; to CAN/CSA Z614, Children's Playspaces and Equipment, except clauses 9.8, 10 & 11, or both. The use of corresponding logo in Play & Park Structures' catalog signifies that Play & Park Structures has received written validation from the independent laboratory that the product(s) associated with the use of the logo conforms to the requirements of the indicated standard. Check the IPEMA website, www.ipema.org, to confirm product validation.

IPEMA

4305 N. 6th Street, Suite A, Harrisburg, PA 17110

Website: www.ipema.org
E-mail: certification@ipema.org

CSA

A large portion of Play & Park Structures equipment meets CSA standards, but please request structures that specifically meet that need if required.

Services

Flexible Financing Program

Through a strategic alliance with Navitas Corporation®, Play & Park is able to provide flexible financing for customers who require funding assistance on their next playground project. Complete our financing request form online at playandpark.com, and bring play opportunities to your school or community more quickly.

National Demonstration Site

Learn more about becoming a national demonstration site for inclusive playgrounds, fitness focused play, a NatureGrounds® play space, or for physically active play. To learn more visit: playandpark.com/national-demonstration-site-program



play & park structures®

A PLAYCORE Company

544 Chestnut Street,
Chattanooga, TN 37402

Custom Color Options

HDPE Plastic

Available 1-color or 2-color for graphics

Fabric Shade Color Options

All standard powder coat colors are available for metal accents.

Options

playandpark.com | 800.727.1907

Plastisol Deck & Site Colors

Thermoplastic deck coating is available, ask your sales representative for more information.



Recycled Deck Colors

Cable Climber Colors

Play System	Availability	
BoulderScapes	●	
SuperMax®	●	●
DuraMax®	●	●
TotMax®	●	●
Skyline®	●	
Horizons	●	

Metal Colors - Choose from 22 powder coat colors

play&park structures®

A PLAYCORE Company



Your Play & Park Structures Consultant is:

1.800.727.1907 playandpark.com

544 Chestnut Street
Chattanooga, TN 37402



Combining unique variations in topography with composite play equipment provides a rich environment for exploration, imagination, and creativity. Play & Park Structures can help you create a one-of-a-kind design that promotes dynamic play opportunities for children of all ages. Contact your local recreation consultant to learn more.

